

BALTIMORE 18/10 STAINLESS STEEL INSET SINK

BL9501/



Size: 950 x 508 mm
Featuring a stylish "sun burst" designed drainer and manufactured from high-grade stainless steel, the Baltimore kitchen sink sits perfectly within a contemporary styled kitchen.

- Reversible drainer
- Micro-sheen™ soft brushed finish
- Manufactured from 18/10 stainless steel
- Waste kit included
- 25 year warranty


Material	18/10 Stainless Steel
Material Gauge	0.7
Material Finish Bowl	Micro-Sheen™ Soft Brushed Finish
Material Finish Drainer	Micro-Sheen™ Soft Brushed Finish
Drainer Position	Reversible
Overall Length (mm)	950
Overall Width (mm)	508
Main Bowl Length (mm)	420
Main Bowl Width (mm)	400
Main Bowl Depth (mm)	160
Second Bowl Length (mm)	-
Second Bowl Width (mm)	-
Second Bowl Depth (mm)	-
Tap hole Size (mm)	1 x 35
Waste Size (mm)	1 x 89
Waste Kit	Included with sink (1 x 89mm BSW & overflow kit)
Min. Base Unit (mm)	600
Cutout Size Length (mm)	930
Cutout Size Width (mm)	488
Warranty Sinks (years)	25
Product Code	BL9501/
Barcode	5015834046204

Date of download: December 18, 2023

BALTIMORE 18/10 STAINLESS STEEL INSET SINK

BL9501/

Technical Drawing



Date of download: December 18, 2023


AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.

BALTIMORE 18/10 STAINLESS STEEL INSET SINK

BL9501/

Cut Out Template

Dimensions in mm. Not to scale.



Date of download: December 18, 2023

AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.