

FIRES & STOVES



Stoves
Pages 4-20

Electric Fires
Pages 22-39

Gas Fires
Pages 40-80

Suites & Surrounds
Pages 81-90

Introduction

Welcome to the latest edition of the F & P Wholesale Fires & Stoves brochure which features a comprehensive range of solid fuel, gas and electric stoves, stunning and realistic electric fires and gas fires from the nation's favourite brands.

Fantastic service is at the heart of our business and we aim to have the fire you want, in stock and available for delivery the next day.

The symbols opposite show the key features such as efficiency, guarantees, flue options and controls which will assist you in selecting the most suitable fire configuration 'at-a-glance'.

When choosing a fire, advice from a qualified installer should always be sought before committing to your final purchase.

Contents

Stoves

Solid Fuel Stoves	5
Solid Fuel Accessories	15
Gas Stoves	15
Electric Stoves	16

Electric Fires

Wall Hung	22
Freestanding	26
Inset	29

Gas Fires

Hole in the Wall	41
Inset	45
Outset Radiant	68
Outset LFE	73
No Chimney - Flueless	76
No Chimney - Balanced Flue	77

Suites & Surrounds

Electric Suites	84
Fire Surrounds - Electric	87
Gas Suites - Castings	88
Fire Surrounds - Solid Oak	89
Fire Surrounds - Veneers	90

Index

Product by Manufacturer	91
-------------------------	----



*Dimplex Meribel
electric stove illustrated*



Efficiency

This shows how much of the gas supplied to the fire will be converted to heat in the room, the higher the better. This results in lower gas bills and conserves a natural resource.



Guarantee

This symbol denotes the manufacturers guarantee period.



Dimplex Display & Demonstrate -

Products only available from appointed Dimplex outlets



Valor Centre Exclusive -

Products only available from appointed Valor Centre outlets


Chimney or Flue

Your choice of fire will be dictated by the type of chimney or flue you have. If you're not sure, then take a look at your roof and cross-reference it with the following guide.



Brick Chimney (Class 1) Suitable for all fires

A conventional brick chimney is easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Cast Flue

Suitable for a wide range of slimline fires

Built from concrete or clay blocks, pre-cast flues provide a rectangular section flue. They can be identified by a ridge vent or metal flue tube and terminal on the roof.



Balanced Flue

Balanced flue fires vent directly outside through a horizontal co-axial pipe. An outer pipe draws air in from the outside and an inner pipe expels combustion gases.



Pre-Fabricated Flue (Class 2) Suitable for most fires

This is an interlocking metal flue tube system easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Flueless

Requires no chimney, flue or access to an outside wall. Only requires a flat wall and appropriate ventilation. Flueless fires should only be used as a secondary source of heat.

Controls




Manual Control

Simple and discreet, the control system is located behind the fires fret or trim. Once the fire is lit rotate the knob to adjust the flame height and heat output.



Electronic Control

Both ignition and heat are controlled by a single rotary motion so there is no need to push down and twist the ignition to light the fire. Requires AA battery.



Slide Control

The control system is located on the top right-hand side of the fire. Push and hold the lever down to ignite and move it up and down to adjust the flame height and heat output.



Semi-Remote Control

Light the fire using the manual control system then use the remote control handset to adjust the flame height and heat output.



Touch Control (Electric)

Touch control via two switches, on/off and high/low.



Remote Control

The remote control handset is used to light the fire as well as to adjust the flame height and heat output.

Fuel Bed Options



Coals



Pebbles



Logs



Driftwood



Radiant



Solid Fuel



Multi Fuel



Wood



Stoves

- Solid Fuel Stoves
- Solid Fuel Boiler Stoves
- Gas Stoves
- Electric Stoves



Flavel Arundel solid fuel stove



142971 Black

Bellingham 5SE

Output

5.0kW (Wood), 4.9kW (Solid Fuel)

Dimensions (H x W x D)

596 x 466 x 368mm

Flue Diameter

127mm (5")


Code

142971

Colour Option

Black

Dimplex



Wood



Solid Fuel



Brick Chimney
(Class 1)



Multi Fuel



Display &
Demonstrate



Approved for use in
Smoke Control Areas



142972 Black

Bellingham 8

Output

8.0kW (Wood), 8.3kW (Solid Fuel)

Dimensions (H x W x D)

616 x 565 x 369mm

Flue Diameter

152mm (6")

Code

142972


Colour Option

Black

Dimplex



Wood



Solid Fuel



Brick Chimney
(Class 1)



Multi Fuel



Display &
Demonstrate



142973 Black

Bellingham 12SE

Output

11.6kW (Wood), 11.5kW (Solid Fuel)

Dimensions (H x W x D)

696 x 680 x 384mm

Flue Diameter

152mm (6")

Code

142973

Colour Option

Black



Brick Chimney
(Class 1)



Multi Fuel



Display &
Demonstrate



Approved for use in
Smoke Control Areas

Dimplex



Wood



Solid Fuel



142970 Black

Bellingham Inset

Output

4.7kW (Wood), 4.7kW (Solid Fuel)

Dimensions (H x W x D)

600 x 540 x 302mm

Flue Diameter

N/A

Code

142970

Colour Option

Black



Brick Chimney
(Class 1)



Multi Fuel




Display &
Demonstrate




Approved for use in
Smoke Control Areas

Dimplex



Wood



Solid Fuel



143398 Black

Langbrook SE

Output

5.0kW (Wood), 5.0kW (Solid Fuel)

Dimensions (H x W x D)

600 x 530 x 368mm

Flue Diameter

127mm (5")

Code

143398

Colour Option

Black



Brick Chimney
(Class 1)



Multi Fuel



Approved for use in
Smoke Control Areas

Dimplex



Wood



Solid Fuel





143371 Black

Westcott 5

Output

5.0kW (Wood), 5.3kW (Solid Fuel)

Dimensions (H x W x D)

540 x 434 x 336mm

Flue Diameter

127mm (5")

Code

143371

Colour Option

Black



Brick Chimney
(Class 1)




Multi Fuel

Dimplex



Wood



Solid Fuel



Dimplex



Wood



143387 Black

Westcott 5SE

Output

4.9kW (Wood)

Dimensions (H x W x D)

540 x 434 x 448mm

Flue Diameter

127mm (5")

Code

143387

Colour Option

Black



Brick Chimney
(Class 1)



Wood



Approved for use in
Smoke Control Areas

Dimplex



Wood



Solid Fuel



143372 Black

Westcott 8

Output

8.0kW (Wood), 8.1kW (Solid Fuel)

Dimensions (H x W x D)

554 x 564 x 309mm

Flue Diameter

152mm (6")

Code

143372

Colour Option

Black



Brick Chimney
(Class 1)



Multi Fuel



143373 Black

Westcott 12

Output

12.1kW (Wood), 12.2kW (Solid Fuel)

Dimensions (H x W x D)

640 x 670 x 356mm

Flue Diameter

152mm (6")

Code

143373

Colour Option

Black



Brick Chimney
(Class 1)




Multi Fuel

Dimplex



Wood



Solid Fuel



143386 Black

Westcott Inset

Output

4.3kW (Wood), 3.9kW (Solid Fuel)

Dimensions (H x W x D)

598 x 538 x 375mm

Flue Diameter

N/A

Code

143386

Colour Option

Black



Brick Chimney
(Class 1)



Multi Fuel

Dimplex



Wood



Solid Fuel



109789 Black

Arundel

Output

4.9kW

Dimensions (H x W x D)

580 x 430 x 332mm

Flue Diameter

125mm (5")

Code

109789

Colour Option

Black



Brick Chimney
(Class 1)




Multi Fuel



Approved for use in
Smoke Control Areas

FLAVEL





109097 Anthracite

Hardy 4

Output

1.0 - 5.5kW

Dimensions (H x W x D)

458 x 330 x 323mm

Flue Diameter

102mm (4")

Code

109097


Colour Option

Anthracite

Brick Chimney
(Class 1)

Multi Fuel

HAMLET



109098 Anthracite

Hardy 5

Output

1.0 - 6.5kW

Dimensions (H x W x D)

475 x 370 x 333mm

Flue Diameter

102mm (4")

Code

109098

Colour Option

Anthracite

Brick Chimney
(Class 1)

Multi Fuel

HAMLET



109067 Anthracite

Solution 5

Output

1.0 - 6.5kW

Dimensions (H x W x D)

522 x 397 x 388mm

Flue Diameter

102mm (4")

Code

109067

Colour Option

Anthracite

Brick Chimney
(Class 1)

Multi Fuel

HAMLET





109066 Anthracite

Solution 5 Inset

Output

1.0 - 6.0kW

Dimensions (H x W x D)

590 x 572 x 194mm

Flue Diameter

127mm (5") with adaptor or letterbox style

Code

109066

Colour Option

Anthracite

Brick Chimney
(Class 1)

Multi Fuel

HAMLET



109068 Anthracite

Solution 7

Output

1.5 - 9.0kW

Dimensions (H x W x D)

558 x 476 x 386mm

Flue Diameter

127mm (5")

Code

109068


Colour Option

Anthracite

Brick Chimney
(Class 1)

Multi Fuel

HAMLET



109076 Anthracite

Solution 7 Inset

Output

2.0 - 9.0kW

Dimensions (H x W x D)

590 x 572 x 360mm

Flue Diameter

127mm (5")

Code

109076

Colour Option

Anthracite

Brick Chimney
(Class 1)

Multi Fuel

HAMLET





109069 Anthracite

Solution 9

Output

2.0 - 11.0kW

Dimensions (H x W x D)

600 x 586 x 396mm

Flue Diameter

127mm (5")

Code

109069


Colour Option

Anthracite

Brick Chimney
(Class 1)

Multi Fuel

HAMLET



109070 Anthracite

Solution 11

Output

2.4 - 14.0kW

Dimensions (H x W x D)

605 x 672 x 442mm

Flue Diameter

152mm (6")

Code

109070

Colour Option

Anthracite

Brick Chimney
(Class 1)

Multi Fuel

HAMLET



109077 Anthracite

Solution DEFRA

Output

1.0 - 5.5kW

Dimensions (H x W x D)

526 x 391 x 410mm

Flue Diameter

127mm (5")

Code

109077

Colour Option

Anthracite

Brick Chimney
(Class 1)

Multi Fuel

Approved for use in
Smoke Control Areas

HAMLET





109921 Black

Baltimore

Output
12.0kW

Dimensions (H x W x D)
675 x 643 x 411mm

Flue Diameter
150mm (6")

Code	Colour Option
109921	Black

Brick Chimney
(Class 1)

Multi Fuel

76%
EFFICIENCY

1
YEAR GUARANTEE



109919 Black

Brunswick

Output
5.0kW

Dimensions (H x W x D)
630 x 390 x 440mm

Flue Diameter
125mm (5")

Code	Colour Option
109919	Black

Brick Chimney
(Class 1)

Multi Fuel

79%
EFFICIENCY

1
YEAR GUARANTEE



109920 Black

Ridlington

Output
8.0kW

Dimensions (H x W x D)
650 x 530 x 415mm

Flue Diameter
150mm (6")

Code	Colour Option
109920	Black

Brick Chimney
(Class 1)

Multi Fuel

79%
EFFICIENCY

1
YEAR GUARANTEE

Arada Accessories

To maximise the enjoyment of your stove and keep it looking good and working well, Arada has developed a comprehensive range of accessories and maintenance products



Code	Description	Pack Size	Code	Description	Pack Size
109026	Fire Cement 1kg Black	12	109058	Stove Pipe Thermometer	12
109027	Glass Cleaner 250ml Aerosol	6	109096	Fire Starter Kit	Single
109028	High Temperature Rope Adhesive 30ml Bottle	12	109059	Heat Resistant Glove	12
109056	Flue and Chimney Soot Remover 45g Sachets	10	109078	Multi-Purpose Stove Wipes (3 Wipes)	12
109057	Anthracite Stove Paint 400ml Aerosol	12	109079	Moisture Meter	6
			109113	Rope Kit 1 ARA013 inc Glue (for small stoves)	
			109114	Rope Kit 2 ARA014 inc Glue (for large stoves)	

F & P
WE SIMPLY DELIVER MORE

**Unrivalled
next day
delivery service**

Certainly Wood

Certainly Wood's kiln dried logs are recommended by the UK's major stove manufacturers and distributors.

The benefits of kiln dried wood are considerable:

- Generates greater heat output
- Better fuel efficiency
- More economical
- Minimum stove and flue problems

Code	Description
135650	Kiln Dried Logs
135651	Kiln Dried Kindling Box
135652	Flamers Natural Firelighters (24)
135653	Fire Starter Kit
135654	Flamers Natural Firelighters (3) - Counter display pack of 12
135655	Flamers Natural Firelighters (50)
135656	Flamers Natural Firelighters (24) - Display unit of 48 packs





Flamers

For Fires & Barbecues



50's, 24's and Mini-packs

We're the natural firelighters

Made from natural, renewable, untreated wood shavings dipped in wax

- easy to light
- long-burn
- odourless
- clean & convenient
- plus, we look GREAT!

NOW AVAILABLE IN A RANGE OF PACKS



Display Unit (24's only)
With reversible header card for Summer and Winter sales



**Chimneas
Camp fires
Charcoal barbecues**



**Open fires
Pizza ovens
Wood burning stoves**



Valor Riddlington gas stove coals illustrated



109979 Black

Brunswick Gas Stove

Output
4.0kW

Dimensions (H x W x D inset)
630 x 390 x 440mm

Flue Diameter
102mm (4")

Code 109979 **Colour Option** Black

valor

81%
EFFICIENCY

3
YEAR GUARANTEE



Brick Chimney
(Class 1)



Manual



Coals



Valor Centre Exclusive



109980 Manual Black (Logs)

Ridlington Gas Stove

Output
4.7kW (Coals) 4.7kW (Logs)

Dimensions (H x W x D inset)
650 x 530 x 415mm

Flue Diameter
125mm (5")

Code 109980 **Colour Option** Manual Black (Coals)
109982 Remote Black (Coals)
109981 Manual Black (Logs)
109983 Remote Black (Logs)

valor

77%
EFFICIENCY

Coals

77%
EFFICIENCY

Logs

3
YEAR GUARANTEE



Brick Chimney
(Class 1)



Manual



Remote



Logs



Coals



Valor Centre Exclusive

Dimplex Oakhurst Opti-myst stove illustrated



142954 Cream White

Auberry Opti-myst

Output

2.0kW

Dimensions (H x W x D)

620 x 480 x 300mm

Code

142954

Colour Option

Cream White

Dimplex



Remote



Logs



Display & Demonstrate



143081 Black

Brayford

Output
2.0kW

Dimensions (H x W x D)
545 x 440 x 310mm

Code **Colour Option**
143081 Black



Remote



Logs

Dimplex



142963 Black Gloss

Burgate Opti-myst

Output
2.0kW

Dimensions (H x W x D)
670 x 620 x 390mm

Code **Colour Option**
142963 Black Gloss



Remote



Logs

Display &
Demonstrate

Dimplex



143396 Cream

Chevalier

Output
2.0kW

Dimensions (H x W x D)
640 x 620 x 390mm

Code **Colour Option**
143396 Cream



Remote



Logs

Dimplex





143044 Black

Club LED

Output
2.0kW

Dimensions (H x W x D)
597 x 510 x 340mm

Code 143044 **Colour Option** Black



Remote



Logs

Dimplex



143041WT White

Courchevel

Output
2.0kW

Dimensions (H x W x D)
597 x 510 x 340mm

Code 143041WT **Colour Option** White



Remote



Logs

Dimplex



142965 Cream Gloss

Meribel Opti-myst

Output
2.0kW

Dimensions (H x W x D)
670 x 620 x 390mm

Code 142965 **Colour Option** Cream Gloss



Remote



Logs



Display & Demonstrate

Dimplex





143173 Black

Oakhurst Opti-myst

Output
2.0kW

Dimensions (H x W x D)
620 x 480 x 300mm

Code	Colour Option
143173	Black

Dimplex



Remote



Logs



Display & Demonstrate



143370 Black

Piermont Opti-myst

Output
2.0kW

Dimensions (H x W x D)
650 x 540 x 401mm

Code	Colour Option
143370	Black

Dimplex



Manual



Logs



Display & Demonstrate



143094 Black

Springborne

Output
2.0kW

Dimensions (H x W x D)
545 x 440 x 310mm

Code	Colour Option
143094	Black

Dimplex



Remote



Coals



143348BK Black

Stockbridge

Output
2.0kW

Dimensions (H x W x D)
640 x 620 x 390mm

Code	Colour Option
143348BK	Black



Remote



Coals



Logs

Dimplex



143350BK Black

Tango

Output
2.0kW

Dimensions (H x W x D)
545 x 440 x 310mm

Code	Colour Option
143350BK	Black



Remote



Coals

Dimplex



143418MB Black

Glendale Dimension Stove

Output
1.8kW

Dimensions (H x W x D)
623 x 484 x 303mm

Code	Colour Option
143418MB	Black



Remote



Coals

Valor





Glendale DIMENSION Stove

The Glendale Dimension stove is the latest addition to the Dimension range of electric fires and showcases Valor's expertise, combining stylish design with its patented flame effect.

The Dimension effect uses three dimensional imagery and LED lighting to project a holographic coal fuel bed image, offering an unrivalled degree of authenticity and flame realism.

Available in a stylish matt black finish with chrome detailing the Glendale Dimension stove offers a 1.8kW heat output, with a choice of heat settings, remote control operation and incorporates a safety cut out device for peace of mind.

For further information, please visit www.valor.co.uk

DIMENSION



Electric Fires

- Wall Hung
- Freestanding
- Inset





Dimplex SP16 fire illustrated

Quattro

bermodern
THE NEW FIREPLACE

Output
2.0kW

Dimensions (H x W x D)
500 x 640 x 165mm

Code
143951

Colour Option
Curved Black Glass Facia



143951 Curved Black Glass Facia



Remote Heat & Light Settings



Logs



Bach

Dimplex

Output
2.0kW

Dimensions (H x W x D)
600 x 696 x 183mm

Code
143352BK

Colour Option
Anthracite



143352BK Anthracite



Remote



Logs



143335 Silver Grey

Bizet

Output
2.0kW

Dimensions (H x W x D)
621 x 750 x 183mm

Code
143335

Colour Option
Silver Grey with reversible
black/white frame



Remote



Logs

Dimplex**Opti-V PGF-10**

Output
0kW

Dimensions (H x W x D)
445 x 736 x 320mm

Code
142950

Colour Option
Built-In Wall Fire



142950 Built-In Wall Fire shown with optional Graphite Frame

Dimplex

Remote



Logs

Display &
Demonstrate**Opti-V PGF-20**

Output
0kW

Dimensions (H x W x D)
445 x 1355 x 320mm

Code
142951

Colour Option
Double Screen Built-In Wall Fire



142951 Built-In Wall Fire

Dimplex

Remote



Logs

Display &
Demonstrate



143393 Black with Anthracite

Redway Opti-myst

Output
2.0kW

Dimensions (H x W x D)
690 x 760 x 181mm

Code	Colour Option
143393	Black with Anthracite

Dimplex



Remote



Logs

Display &
Demonstrate

SP16

Output
2.0kW

Dimensions (H x W x D)
525 x 1200 x 182mm

Code	Colour Option
143344	Black

Dimplex



143344 Black



Remote



Logs

Tahoe Opti-myst

Output
2.0kW

Dimensions (H x W x D)
695 x 900 x 170mm

Code	Colour Option
143394	Black

Dimplex



143394 Black



Remote



Logs

Display &
Demonstrate



Dimplex Cellini illustrated



142947 Black

Freestanding Cellini

Output

0kW

Dimensions (H x W x D inset)

650 x 380 x 320mm

Code

142947

Colour Option

Black

- Freestanding Opti-V electric fire
- LCD television, fuel bed and lighting
- With or without legs
- No heat



Remote



Logs

Display &
Demonstrate





142948 Black

Freestanding Volterra

Output
0kW

Dimensions (H x W x D inset)
500 x 600 x 350mm

Code	Colour Option
142948	Black

- Freestanding Opti-V electric fire
- LCD television, fuel bed and lighting
- Can be displayed within a surround
- No heat



Remote



Logs

Display &
Demonstrate

Dimplex



143185 Chrome/Satin Silver

Freestanding Castillo

Output
2.0kW

Dimensions (H x W x D inset)
655 x 603 x 226mm

Code	Colour Option
143185	Chrome/Satin Silver



Manual



Coals



Pebbles

Dimplex



143086 Black/Brass

Freestanding Cheriton

Output
2.0kW

Dimensions (H x W x D inset)
682 x 639 x 194mm

Code	Colour Option
143086	Black/Brass



Manual



Coals

Dimplex





143349CP Chrome

Freestanding Detroit

Output
2.0kW

Dimensions (H x W x D inset)
665 x 603 x 226mm

Code	Colour Option
143349CP	Chrome

Dimplex



Manual



Coals



Pebbles



143399RD Red

Freestanding Microfire

Output
1.5kW

Dimensions (H x W x D inset)
370 x 330 x 205mm

Code	Colour Option
143399BK	Black
143399RD	Red

Dimplex



Manual



Coals



143184 Black/Chrome

Freestanding Zamora

Output
2.0kW

Dimensions (H x W x D inset)
665 x 603 x 226mm

Code	Colour Option
143184	Black/Chrome

Dimplex



Manual



Coals



Pebbles



Valor Excelsior Slimline Dimension
inset electric fire illustrated



143307CH Chrome

Adagio

Output

2.0kW

Dimensions (H x W x D inset)

635 x 516 x 185mm

Code

143307CH

143310BR

Colour Option

Chrome

Brass

Dimplex



Manual



Coals



Pebbles



143307BN Black Nickel

Adagio

Output
2.0kW

Dimensions (H x W x D inset)
635 x 516 x 185mm

Code **Colour Option**
143307BN Black Nickel

Dimplex



Manual



Coals



Pebbles

Display &
Demonstrate

143308CH Stainless Steel/Brass

Aspen

Output
2.0kW

Dimensions (H x W x D inset)
617 x 520 x 162mm

Code **Colour Option**
143308CH Stainless Steel/Brass

Dimplex



Manual



Coals



Pebbles



143311AB Antique Brass

Danesbury

Output
2.0kW

Dimensions (H x W x D inset)
620 x 518 x 170mm

Code **Colour Option**
143311AB Antique Brass
143311BK Black
143311BR Brass

Dimplex



Manual



Coals



143312CP Chrome

Danesbury LED

Output
2.0kW

Dimensions (H x W x D inset)
620 x 518 x 170mm

Code	Colour Option
143312CP	Chrome



Manual



Coals

Display &
Demonstrate

Dimplex



143392BS Brass

Danville Opti-myst

Output
2.0kW

620 x 520 x 231mm

Code	Colour Option
143392AB	Antique Brass
143392BK	Black
143392BS	Brass
143392CP	Chrome



Remote



Coals

Display &
Demonstrate

Dimplex



143332 Stainless Steel

Delius

Output
2.0kW

Dimensions (H x W x D inset)
617 x 520 x 180mm

Code	Colour Option
143332	Stainless Steel



Manual



Coals



Pebbles

Dimplex





143332BN Black Nickel

Delius

Output
2.0kW

Dimensions (H x W x D inset)
617 x 520 x 180mm

Code	Colour Option
143332BN	Black Nickel

Dimplex



Manual



Coals



Pebbles

Display &
Demonstrate

143309CH Stainless Steel

Elda

Output
2.0kW

Dimensions (H x W x D inset)
617 x 514 x 162mm

Code	Colour Option
143309CH	Stainless Steel

Dimplex



Manual



Coals



Pebbles



143189 Brass

Exbury

Output
1.2kW

Dimensions (H x W x D inset)
583 x 519 x 204mm

Code	Colour Option
143189	Brass
143375CP	Chrome

Dimplex



Remote



Coals



143375AB Antique Brass

Exbury

Output
1.2kW

Dimensions (H x W x D inset)
583 x 519 x 204mm

Code	Colour Option
143375AB	Antique Brass

Dimplex



Remote



Coals

Display &
Demonstrate

143382 Stainless Steel

Freeport LED

Output
2.0kW

Dimensions (H x W x D inset)
617 x 520 x 180mm

Code	Colour Option
143382	Stainless Steel
143382BN	Black Nickel

Dimplex



Manual



Coals



Pebbles

Display &
Demonstrate

143300BS Brass

Horton

Output
2.0kW

Dimensions (H x W x D inset)
621 x 521 x 170mm

Code	Colour Option
143300BK	Black
143300BS	Brass
143300CP	Chrome

Dimplex



Manual



Coals



142957 Stainless Steel

Montclair

Output
2.0kW

Dimensions (H x W x D inset)
615 x 465 x 150mm

Code 142957 **Colour Option** Stainless Steel

Dimplex



Manual



Pebbles

Display &
Demonstrate

143383 Stainless Steel

Rockport LED

Output
2.0kW

Dimensions (H x W x D inset)
635 x 520 x 185mm

Code 143383 **Colour Option** Stainless Steel

Dimplex



Manual



Coals



Pebbles

Display &
Demonstrate

143174 Chrome

Sacramento Opti-myst

Output
2.0kW

Dimensions (H x W x D inset)
620 x 520 x 220mm

Code 143174 **Colour Option** Chrome

Dimplex



Remote



Coals

Display &
Demonstrate



Silverton Opti-myst

Dimplex



Output
0kW

Dimensions (H x W x D inset)
305 x 710 x 355mm

Code	Colour Option
142956	Black

142956 Black



Remote



Logs



Display &
Demonstrate



Stamford

Dimplex



Output
2.0kW

Dimensions (H x W x D inset)
615 x 465 x 195mm

Code	Colour Option
142958	Brass
142958CH	Chrome

142958CH Chrome



Manual



Coals



Display &
Demonstrate



Westbrook Opti-myst

Dimplex



Output
0kW

Dimensions (H x W x D inset)
350 x 450 x 270mm

Code	Colour Option
143175	Black

143175 Black



Remote



Logs



Display &
Demonstrate



143176 Chrome

Whitmore Opti-myst

Output
2.0kW

Dimensions (H x W x D inset)
620 x 520 x 220mm

Code	Colour Option
143176	Chrome

Dimplex



Remote



Coals

Display &
Demonstrate

143301BS Brass

Wynford

Output
2.0kW

Dimensions (H x W x D inset)
620 x 520 x 155mm

Code	Colour Option
143301AB	Antique Brass
143301BS	Brass
143301CP	Chrome

Dimplex



Manual



Coals



143186BK Black

X1

Output
1.2kW

Dimensions (H x W x D inset)
582 x 519 x 198mm

Code	Colour Option
143186BK	Black
143186SR	Silver

Dimplex



Remote



Coals



Pebbles



143420BS Brass

Alton Slimline Dimension

Output
1.35kW

Dimensions (H x W x D inset)
612 x 505 x 70mm

Code	Colour Option
143420BS	Brass
143420CP	Chrome



Remote



Coals



143421CP Chrome

Bauhaus Slimline Dimension

Output
1.35kW

Dimensions (H x W x D inset)
612 x 505 x 70mm

Code	Colour Option
143421BS	Brass
143421CP	Chrome



Remote



Coals



123423CP Chrome/Black

Blenheim Slimline Dimension

Output
1.35kW

Dimensions (H x W x D inset)
612 x 505 x 70mm

Code	Colour Option
143423BS	Brass/Black
123423CP	Chrome/Black



Remote



Coals





143422BS Brass

Clifton Slimline Dimension

Output
1.35kW

Dimensions (H x W x D inset)
612 x 505 x 70mm

Code	Colour Option
143422BS	Brass
143422CP	Chrome



Remote



Coals



143424CP Chrome

Downton Slimline Dimension

Output
1.35kW

Dimensions (H x W x D inset)
612 x 505 x 70mm

Code	Colour Option
143424BS	Brass
143424CP	Chrome



Remote



Coals



143411CH Chrome

Dream Slimline Dimension

Output
1.35kW

Dimensions (H x W x D inset)
636 x 518 x 70mm

Code	Colour Option
143411BK	Black
143411CP	Chrome
143411GD	Pale Gold



Remote



Coals





143414BN Black Nickel

Excelsior Slimline Dimension

Output
1.35kW

Dimensions (H x W x D inset)
636 x 518 x 70mm

Code	Colour Option
143414BN	Black Nickel
143414PG	Pale Gold



Remote



Coals



Valor Centre Exclusive



143415PG Pale Gold

Masquerade Slimline Dimension

Output
1.35kW

Dimensions (H x W x D inset)
636 x 518 x 70mm

Code	Colour Option
143415BN	Black Nickel
143415PG	Pale Gold



Remote



Coals



Valor Centre Exclusive



143412SC Silver Chrome

Petrus Slimline Dimension

Output
1.35kW

Dimensions (H x W x D inset)
636 x 518 x 70mm

Code	Colour Option
143412BC	Black Chrome
143412SC	Silver Chrome



Remote



Coals



Valor Centre Exclusive



Gas Fires

- Hole in the Wall
- Inset
- Outset
- No Chimney





116794BK Black

Boston

Output

4.2kW

Dimensions (H x W x D)

560 x 890 x 300mm

Code

Colour Option

116794BK	Black
116794BS	Brushed Steel
116794CP	Chrome
116794GR	Graphite

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Remote



Logs



Pebbles



Driftwood

CRYSTAL
FIRES

116799BS Brushed Steel

Florida

Output

4.2kW

Dimensions (H x W x D)

560 x 890 x 300mm

Code

Colour Option

116799BK	Black
116799BS	Brushed Steel
116799CP	Chrome
116799GR	Graphite

Includes a low voltage fan assisted convector
for maximum heat output

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Remote



Logs



Pebbles



Driftwood

CRYSTAL
FIRES

116772BK Black

Gem Royale 4

Output

4.2kW

Dimensions (H x W x D)

715 x 630 x 225mm

Code

Colour Option

116772BK	Black (Manual Control)
116772BS	Brushed Steel (Manual Control)
116772CP	Chrome (Manual Control)

Also available with slide control

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Coals

CRYSTAL
FIRES



116769BC Black/Chrome

Manhattan

Output

5.5kW

Dimensions (H x W x D)

765 x 1020 x 285mm

Code

Code	Colour Option
116765	Engine Only (No Trim)
116780	Optional Pebble Pack
116769BK	Black (Trim Option)
116769BC	Black/Chrome (Trim Option)

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Remote



Logs



Pebbles

CRYSTAL
FIRES

116770BK Black

Miami

Output

5.5kW

Dimensions (H x W x D)

615 x 1020 x 285mm

Code

Code	Colour Option
116768	Engine Only/Cream Interior (No Trim)
116767	Engine Only/Black Interior (No Trim)
116780	Optional Pebble Pack
116770CB	Copper/Brushed Steel (Trim Option)
116770CC	Copper/Chrome (Trim Option)
116770BK	Black (Trim Option)
116770BC	Black/Chrome (Trim Option)

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Remote



Logs



Pebbles

CRYSTAL
FIRES

116784BK Black

Montana Royale 4 HE

Output

4.2kW

Dimensions (H x W x D)

715 x 630 x 270mm

Code

Code	Colour Option
116784CP	Chrome (Manual Control)
116784BS	Brushed Steel (Manual Control)
116784BK	Black (Manual Control)

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Manual



Coals

CRYSTAL
FIRES



109738BK Black

Curve

Output

4.0kW

Dimensions (H x W x D)

635 x 870 x 166mm

Code

109738BK

Colour Option

Black

FLAVEL

71%
EFFICIENCY

7
YEAR GUARANTEE
Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Remote



109752 Black/Aluminium

Diamond HE

Output

3.2kW

Dimensions (H x W x D)

650 x 600 x 180mm

Code

109752

Colour Option

Black/Aluminium (Coals)

109753

Black/Aluminium (Pebbles)

FLAVEL

78%
EFFICIENCY

7
YEAR GUARANTEE
Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Remote



Coals



Pebbles



109718 Black/Chrome

Finesse

Output

3.3kW

Dimensions (H x W x D)

690 x 558 x 120mm

Code

109719

Colour Option

Black/Brass (Coals)

109718

Black/Chrome (Coals)

109717

Black/Chrome (Pebbles)

FLAVEL

56%
EFFICIENCY

7
YEAR GUARANTEE
Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



Pebbles



109779BB Black/Black Trim

Jazz HE

Output

3.5kW

Dimensions (H x W x D)

549 x 810 x 295mm

Code

Code	Colour Option
109779BB	Black/Black Trim
109779BC	Black/Champagne Trim
109779BS	Black/Silver Trim
109779CC	Cream/Champagne Trim



Brick Chimney
(Class 1)



Prefabricated
Flue (Class 2)



Semi-Remote



Logs

FLAVEL

59%
EFFICIENCY

7
YEAR GUARANTEE



110016BG Black

Kamina

Output

4.0kW

Dimensions (H x W x D)

650 x 890 x 150mm

Code

Code	Colour Option
110016BG	Black



Brick Chimney
(Class 1)



Prefabricated
Flue (Class 2)



Pre-cast Flue



Remote

FLAVEL

71%
EFFICIENCY

7
YEAR GUARANTEE



109122 Polished Steel (Coals)

Windsor Plus Wall Mounted

Output

4.1kW

Dimensions (H x W x D)

671 x 512 x 120mm

Note: inset depth where product is an inset fire,
otherwise total depth of product

Code

Code	Colour Option
109122	Polished Steel (Coals)
109123	Polished Steel (Pebbles)



Brick Chimney
(Class 1)



Prefabricated
Flue (Class 2)



Pre-cast Flue



Manual



Coals



Pebbles

FLAVEL

70%
EFFICIENCY

7
YEAR GUARANTEE



Valor Bloomsbury Airflame Convector
inset gas fire illustrated



116700 Brass

Diamond

Output

3.9kW

Dimensions (H x W x D inset)

600 x 460 x 100mm

Code

116700

116702

Colour Option

Brass

Chrome

CRYSTAL
FIRES

60%
EFFICIENCY

5
YEAR WARRANTY



Brick Chimney
(Class 1)



Pre-fabricated
Flue (Class 2)



Pre-cast Flue



Manual



Coals



116704 Brushed Steel

Diamond Contemporary

Output

3.9kW

Dimensions (H x W x D inset)

610 x 487 x 100mm

Code

116735

116704

Colour Option

Brushed Steel (Coals)

Brushed Steel (Pebbles)

CRYSTAL FIRES

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



Pebbles



116721 Chrome

Gem

Output

4.2kW

Dimensions (H x W x D inset)

600 x 490 x 230mm

Code

116729

116738

116721

116722

116711

116712

Colour Option

Chrome (Touch Control)

Brass/Black (Touch Control)

Chrome (Remote Control)

Brass/Black (Remote Control)

Chrome (Manual Control)

Brass/Black (Manual Control)

Also available with slide control

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Touch



Manual



Coals

CRYSTAL FIRES



Gem Monarch

Output

4.2kW

Dimensions (H x W x D)

610 x 520 x 230mm

Code

116690

116691

Colour Option

Black/Chrome (Manual Control)

Black/Chrome (Remote Control)

Also available with slide control

CRYSTAL FIRES



116690 Black/Chrome

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Remote



Coals



116771BS Brushed Steel

Gem Royale 3

Output

4.2kW

Dimensions (H x W x D inset)

655 x 630 x 225mm

Code

Colour Option

116771BK	Black (Manual Control)
116771BS	Brushed Steel (Manual Control)
116771CP	Chrome (Manual Control)

Also available with slide control

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Manual



Remote



Coals

CRYSTAL
FIRES

116782CP Chrome

Montana Inset HE

Output

4.2kW

Dimensions (H x W x D inset)

600 x 490 x 270mm

Code

Colour Option


116782CP	Chrome
116782BR	Brass
116782BK	Black

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Manual



Coals

CRYSTAL
FIRES

116783CP Chrome

Montana Royale 3 HE

Output

4.2kW

Dimensions (H x W x D inset)

655 x 630 x 270mm

Code

Colour Option

116783CP	Chrome (Manual Control)
116783BS	Brushed Steel (Manual Control)
116783BK	Black (Manual Control)

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Manual



Coals

CRYSTAL
FIRES



116709 Brushed Steel

Super Radiant Contemporary

Output

3.9kW

Dimensions (H x W x D inset)

600 x 460 x 180mm

Code

116709

Colour Option

Brushed Steel (Manual Control/Pebbles)

Also available with slide control

CRYSTAL FIRES

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Touch



Manual



Coals



Pebbles



116718 Chrome

Super Radiant Grace

Output

3.9kW

Dimensions (H x W x D inset)

600 x 460 x 180mm

Code

116716

Colour Option

Brass (Remote Control)

116718

Chrome (Remote Control)

116705

Brass (Manual Control)

116707

Chrome (Manual Control)

Also available with slide control

CRYSTAL FIRES

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Remote



Manual



Coals



110003BS Brass

Calypso Plus

Output

4.4kW

Dimensions (H x W x D inset)

605 x 491 x 170mm

Code

110003BS

Colour Option

Brass (Slide)

FLAVEL

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



109736CP Chrome

Caress Contemporary HE

Output

4.0kW

Dimensions (H x W x D inset)

615 x 510 x 230mm

Code

109736CP

Colour Option

Chrome

FLAVEL

89%
EFFICIENCY7
YEAR GUARANTEEBrick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Slide



Coals



110005SR Silver

Caress Plus Traditional

Output

4.4kW

Dimensions (H x W x D inset)

615 x 510 x 170mm

Code

110005BS

Colour Option

Brass (Slide)

110005SR

Silver (Slide)

110006BS

Brass (Remote)

FLAVEL

70%
EFFICIENCY7
YEAR GUARANTEEBrick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Slide



Remote



Coals



109733BS Brass

Caress Traditional

Output

4.0kW

Dimensions (H x W x D inset)

615 x 510 x 250mm

Code

109733BS

Colour Option

Brass (Slide)

109733CP

Chrome (Slide)

FLAVEL

65%
EFFICIENCY7
YEAR GUARANTEEBrick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Slide



Remote



Coals



109737BS Brass

Caress Traditional HE

Output

4.0kW

Dimensions (H x W x D inset)

615 x 510 x 230mm

Code

109737BS

109737CP

Colour Option

Brass (Slide Control)

Chrome (Slide Control)

FLAVEL

89%
EFFICIENCY

7
YEAR GUARANTEE



Brick Chimney
(Class 1)



Prefabricated
Flue (Class 2)



Manual



Slide



Remote



Coals



109751BS Brass

Caress Traditional Slimline

Output

3.3kW

Dimensions (H x W x D inset)

615 x 510 x 105mm

Code

109751BS

109751CP

Colour Option

Brass (Slide)

Chrome (Slide)

FLAVEL

56%
EFFICIENCY

7
YEAR GUARANTEE



Brick Chimney
(Class 1)



Prefabricated
Flue (Class 2)



Pre-cast Flue



Slide



Coals



109704BR Brass

Hampton Slimline

Output

2.5kW

Dimensions (H x W x D inset)

595 x 470 x 105mm

Code

109704BR

109704CP

Colour Option

Brass

Chrome

FLAVEL

Decorative
Effect
Flame

7
YEAR GUARANTEE



Brick Chimney
(Class 1)



Prefabricated
Flue (Class 2)



Pre-cast Flue



Manual



Coals



109754 Stainless Steel

Linear HE

Output

3.2kW

Dimensions (H x W x D inset)

595 x 485 x 180mm

Code

109754

Colour Option

Stainless Steel

FLAVEL

78%
EFFICIENCY7
YEAR GUARANTEEBrick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



110015SR Silver

Rhapsody Plus

Output

4.4kW

Dimensions (H x W x D inset)

605 x 491 x 170mm

Code

110015AB Antique Brass (Slide)
 110015BK Black (Slide)
 110015BS Brass (Slide)
 110015SR Silver (Slide)

Colour Option

FLAVEL

70%
EFFICIENCY7
YEAR GUARANTEEBrick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Slide



Coals



110000SR Silver

Richmond Plus

Output

4.6kW

Dimensions (H x W x D inset)

595 x 500 x 223mm

Code

110000BK	Black (Manual)	110002BK	Black (Remote)
110000BS	Brass (Manual)	110002BS	Brass (Remote)
110000SR	Silver (Manual)	110002SR	Silver (Remote)
110001BK	Black (Slide)		
110001BS	Brass (Slide)		
110001SR	Silver (Slide)		

Colour Option

Code

Color Option

FLAVEL

74%
EFFICIENCY7
YEAR GUARANTEEBrick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Slide



Remote



Coals



109699CP Chrome

Windsor Contemporary

Output

3.3kW

Dimensions (H x W x D inset)

592 x 475 x 120mm

Code

Code	Colour Option
109761	Brushed Steel (Pebbles)
109699CP	Chrome (Pebbles)
109703BS	Brass (Coals)
109703CP	Chrome (Coals)

FLAVEL

56%
EFFICIENCY

7
YEAR GUARANTEE
Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



Pebbles



Driftwood



109765 Silver

Windsor Contemporary HE

Output

3.2kW

Dimensions (H x W x D inset)

592 x 475 x 125mm

Code

Code	Colour Option
109765	Silver
109764BS	Brass
109764SR	Polished Silver

FLAVEL

89%
EFFICIENCY

7
YEAR GUARANTEE
Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



Pebbles



109696BR Brass

Windsor Traditional

Output

3.3kW

Dimensions (H x W x D inset)

592 x 475 x 120mm

Code

Code	Colour Option
109696BR	Brass

FLAVEL

56%
EFFICIENCY

7
YEAR GUARANTEE
Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



109767BS Brass

Windsor Traditional HE

Output

3.2kW

Dimensions (H x W x D)

592 x 475 x 125mm

Code

109767BS

109764SR

Colour Option

Brass

Silver

FLAVEL

89%
EFFICIENCY7
YEAR GUARANTEEBrick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Slide



Manual



Coals



103774BS Manual Brass Inlay Trim

Airflame Convector Alton

Output

3.7kW

Dimensions (H x W x D inset)

600 x 522 x 254mm

Full Trim

Code

103773BS

103773CP

103775BS

103775CP

Colour Option

Manual Brass

Manual Chrome

Remote Brass

Remote Chrome

Inlay Trim

Code

103774BS

103774CP

103776BS

103776CP

Colour Option

Manual Brass

Manual Chrome

Remote Brass

Remote Chrome

valor

59%
EFFICIENCY3
YEAR GUARANTEE

Chrome Full Trim

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Manual



Remote



Coals



Valor Centre Exclusive



103773BN Manual Black Nickel

Airflame Convector Full Trim Bauhaus

Output

3.7kW

Dimensions (H x W x D inset)

608 x 525 x 254mm

Code

103773BN

103773PG

103775BN

103775PG

Colour Option

Black Nickel (Manual)

Pale Gold (Manual))

Black Nickel (Remote)

Pale Gold (Remote)

Bauhaus Full Trim Fret

Code

103786BS

Colour Option

Black Nickel

Code

103786PG

Colour Option

Pale Gold

valor

59%
EFFICIENCY3
YEAR GUARANTEE

Pale Gold Full Trim

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Manual



Remote



Coals



Valor Centre Exclusive



103774CP Manual Chrome Inlay Trim

Airflame Convector Bauhaus

Output 3.7kW

Dimensions (H x W x D inset) 600 x 522 x 254mm

Full Trim

Code	Colour Option
103773BS	Manual Brass
103773CP	Manual Chrome
103775BS	Remote Brass
103775CP	Remote Chrome

Inlay Trim

Code	Colour Option
103774BS	Manual Brass
103774CP	Manual Chrome
103776BS	Remote Brass
103776CP	Remote Chrome

Bauhaus Fret

Code	Colour Option	Code	Colour Option
103785BS	Brass	103785CP	Chrome

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Remote



Coals




Valor Centre Exclusive

valor

59%
EFFICIENCY

3
YEAR GUARANTEE



Brass Full Trim

Airflame Convector Blenheim

Output 3.7kW

Dimensions (H x W x D inset) 600 x 522 x 254mm

Full Trim

Code	Colour Option
103773BS	Manual Brass
103773CP	Manual Chrome
103775BS	Remote Brass
103775CP	Remote Chrome

Inlay Trim

Code	Colour Option
103774BS	Manual Brass
103774CP	Manual Chrome
103776BS	Remote Brass
103776CP	Remote Chrome

Blenheim Fret

Code	Colour Option	Code	Colour Option
103781BS	Brass	103781CP	Chrome

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Remote



Coals

valor

59%
EFFICIENCY

1
YEAR GUARANTEE

Chrome
Inlay Trim

103775BS Remote Brass Full Trim

Airflame Convector Full Trim Bramford

Output 3.7kW

Dimensions (H x W x D inset) 608 x 525 x 254mm

Code

Colour Option

103773BN	Manual Black Nickel
103773PG	Manual Pale Gold
103775BN	Remote Black Nickel
103775PG	Remote Pale Gold

Bramford Full Trim Fret

Code	Colour Option	Code	Colour Option
103782PG	Pale Gold	103782BN	Black Nickel

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Remote



Coals



Valor Centre Exclusive

valor

59%
EFFICIENCY

3
YEAR GUARANTEE



Black Nickel Full Trim



103773BN Manual Pale Gold



103775CP Manual Chrome Full Trim

Airflame Convector Clifton

Output 3.7kW

Dimensions (H x W x D inset) 600 x 522 x 254mm

Full Trim

Code	Colour Option
103773BS	Manual Brass
103773CP	Manual Chrome
103775BS	Remote Brass
103775CP	Remote Chrome

Inlay Trim

Code	Colour Option
103774BS	Manual Brass
103774CP	Manual Chrome
103776BS	Remote Brass
103776CP	Remote Chrome

Clifton Fret

Code	Colour Option
103787BS	Brass

Code	Colour Option
103787CP	Chrome

59%
EFFICIENCY

3
YEAR GUARANTEE



Brass Inlay Trim

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Manual



Remote



Coals



Valor Centre Exclusive



103776CP Remote Chrome Inlay Trim

Airflame Convector Downton

Output 3.7kW

Dimensions (H x W x D inset) 600 x 522 x 254mm

Full Trim

Code	Colour Option
103773BS	Manual Brass
103773CP	Manual Chrome
103775BS	Remote Brass
103775CP	Remote Chrome

Inlay Trim

Code	Colour Option
103774BS	Manual Brass
103774CP	Manual Chrome
103776BS	Remote Brass
103776CP	Remote Chrome


Downton Fret

Code	Colour Option
103783BS	Brass

Code	Colour Option
103783CP	Chrome

59%
EFFICIENCY

1
YEAR GUARANTEE

Brass
Full TrimBrick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Manual



Remote



Coals



Valor Centre Exclusive



109933 Brushed Chrome

Blakely Airflame Convector

Output

3.7kW

Dimensions (H x W x D inset)

638 x 580 x 254mm

Code

109933

Colour Option

Brushed Chrome

59%
EFFICIENCY

3
YEAR GUARANTEE

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Manual



Coals



Valor Centre Exclusive



109934 Brushed Chrome

Blakely Landscape

Output

4.3kW

Dimensions (H x W x D inset)

680 x 930 x 312mm

Code

109934

Colour Option

Brushed Chrome

Brick Chimney
(Class 1)

Remote



Driftwood



Pebbles



Valor Centre Exclusive



109841BS Brass

Blenheim Full Depth

Output

3.8kW

Dimensions (H x W x D inset)

599 x 492 x 186mm

Code

109841BS

Colour Option

Brass

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Coals



109842CP Chrome

Blenheim Slimline

Output

3.1kW

Dimensions (H x W x D inset)

585 x 450 x 115mm

Code

109842BS

Colour Option

Brass

109842BK

Black

109842CP

Chrome

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



109796BS Brass

Blenheim Slimline Homeflame

Output

3.1kW

Dimensions (H x W x D inset)

612 x 505 x 79mm

Code

109796BS

Colour Option

Brass

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



109939 Black & Silver

Bloomsbury Airflame Convectair

Output

3.7kW

Dimensions (H x W x D inset)

740 x 632 x 254mm

Code

109939

Colour Option

Black & Silver

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Remote



Coals



Valor Centre Exclusive



109924PR Pewter

Classica Full Depth Homeflame

Output

3.85kW

Dimensions (H x W x D inset)

631 x 540 x 186mm

Code

109924PR

Colour Option

Pewter

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



Valor Centre Exclusive



109818GD Pale Gold

Dream Full Depth Convector

Output

4.0kW

Dimensions (H x W x D inset)

636 x 518 x 235mm

Code

Colour Option

109818BK	Black
109818CP	Chrome
109818GD	Pale Gold



Brick Chimney
(Class 1)



Pre-fabricated
Flue (Class 2)



Slide



Coals

valor



109822CP Chrome

Dream Slimline Convactor

Output

3.4kW

Dimensions (H x W x D inset)

636 x 518 x 135mm

Code

Colour Option

109822CP	Chrome
109822GD	Pale Gold
109822BK	Black



Brick Chimney
(Class 1)



Pre-fabricated
Flue (Class 2)



Pre-cast Flue



Slide



Coals

valor



109790GD Pale Gold

Dream Full Depth Homeflame

Output

3.85kW

Dimensions (H x W x D inset)

636 x 518 x 186mm

Code

Colour Option

109790BK	Black
109790CP	Chrome
109790GD	Pale Gold



Brick Chimney
(Class 1)



Pre-fabricated
Flue (Class 2)



Slide



Coals

valor





109797BK Black

Dream Slimline Homeflame

Output

3.1kW

Dimensions (H x W x D inset)

636 x 518 x 79mm

Code

Colour Option

109797BK	Black
109797CP	Chrome
109797GD	Pale Gold

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Slide



Coals



109927BN Black Nickel

Excelsior Full Depth Convactor

Output

4.0kW

Dimensions (H x W x D inset)

636 x 518 x 235mm

Code

Colour Option

109927BN	Black Nickel
109927PG	Pale Gold

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



Valor Centre Exclusive



109925PG Pale Gold

Excelsior Full Depth Homeflame

Output

3.85kW

Dimensions (H x W x D inset)

636 x 518 x 186mm

Code

Colour Option

109925BN	Black Nickel
109925PG	Pale Gold

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



Valor Centre Exclusive



109942BN Black Nickel

Excelsior Slimline Convector

Output

3.3kW

Dimensions (H x W x D inset)

636 x 518 x 135mm

Code

109942BN Black Nickel

109942PG Pale Gold

Colour Option

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Slide



Coals



Valor Centre Exclusive



109940PG Pale Gold

Excelsior Slimline Homeflame

Output

3.1kW

Dimensions (H x W x D inset)

636 x 518 x 79mm

Code

109940BN Black Nickel

109940PG Pale Gold

Colour Option

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Slide



Coals



Valor Centre Exclusive



109791BK Black

Harmony Full Depth Homeflame

Output

3.85kW

Dimensions (H x W x D inset)

631 x 546 x 186mm

Code

109791CH Champagne

109791BK Black

109791SR Silver

Colour Option

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals

Majestic - Decorative Gas Fire



109836CL DGF Engine

Input
6.85kW

Dimensions (H x W x D inset)
N/A x 380 x 193mm

Code	Colour Option
109836CL	DGF Engine

Brick Chimney
(Class 1)

Manual



Coals

Masquerade Full Depth Convector



109928PG Pale Gold

Output
4.0kW

Dimensions (H x W x D inset)
636 x 518 x 235mm

Code	Colour Option
109928BN	Black Nickel
109928PG	Pale Gold

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



Valor Centre Exclusive

Masquerade Full Depth Homeflame



109926BN Black Nickel

Output
3.85kW

Dimensions (H x W x D inset)
636 x 518 x 186mm

Code	Colour Option
109926BN	Black Nickel
109926PG	Pale Gold

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



Valor Centre Exclusive



109943PG Pale Gold

Masquerade Slimline Convectector

Output

3.3kW

Dimensions (H x W x D inset)

636 x 518 x 135mm

Code

109943BN Black Nickel

109943PG Pale Gold

Colour Option

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Slide



Coals



Valor Centre Exclusive

Masquerade Slimline Homeflame

Output

3.1kW

Dimensions (H x W x D inset)

636 x 518 x 79mm

Code

109941BN Black Nickel

109941PG Pale Gold

Colour Option

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Slide



Coals



Valor Centre Exclusive



109941BN Black Nickel

Petrus Full Depth Homeflame

Output

3.85kW

Dimensions (H x W x D inset)

636 x 518 x 186mm

Code

109918BC Black Chrome

109918SR Silver Chrome

Colour Option

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



109918BC Black Chrome



109798SC Silver Chrome

Petrus Slimline Homeflame

Output

3.1kW

Dimensions (H x W x D inset)

636 x 518 x 79mm

Code

109798BC

Colour Option

Black Chrome

109798SC

Silver Chrome

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Slide



Coals



109860CP Brushed Chrome

Seattle Slimline

Output

3.1kW

Dimensions (H x W x D inset)

588 x 450 x 115mm

Code

109860CP

Colour Option

Brushed Chrome

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Manual



Pebbles



103779BS Brass Full Trim

Trueflame FD Convector Alton

Output

4.0kW

Dimensions (H x W x D inset)

621 x 522 x 235mm (Full Trim)

610 x 500 x 235mm (Half Trim)

Full Trim

Code

103779BS

Colour Option

Brass

103779CP

Chrome

Half Trim

Code

103780BS

Colour Option

Brass

103780CP

Chrome

Alton Fret

Code

103784BS

Colour Option

Brass

Code

103784CP

Colour Option

Chrome

Chrome
Half TrimBrick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



Valor Centre Exclusive



103780CP Chrome Half Trim

Trueflame FD Convector Bauhaus

Output 4.0kW

Dimensions (H x W x D inset)

621 x 522 x 235mm (Full Trim)

610 x 500 x 235mm (Half Trim)

Full Trim

Code	Colour Option
103779BS	Brass
103779CP	Chrome

Half Trim

Code	Colour Option
103780BS	Brass
103780CP	Chrome

Bauhaus Fret

Code	Colour Option	Code	Colour Option
103785BS	Brass	103785CP	Chrome



Brick Chimney (Class 1)



Pre-fabricated Flue (Class 2)



Slide



Coals



Valor Centre Exclusive



Brass Full Trim



103779BS Brass Full Trim

Trueflame FD Convector Blenheim

Output 4.0kW

Dimensions (H x W x D inset)

621 x 522 x 235mm (Full Trim)

610 x 500 x 235mm (Half Trim)

Full Trim

Code	Colour Option
103779BS	Brass
103779CP	Chrome

Half Trim

Code	Colour Option
103780BS	Brass
103780CP	Chrome

Blenheim Fret

Code	Colour Option	Code	Colour Option
103781BS	Brass	103781CP	Chrome



Brick Chimney (Class 1)



Pre-fabricated Flue (Class 2)



Slide



Coals



Chrome Half Trim



103780CP Chrome Half Trim

Trueflame FD Convector Clifton

Output 4.0kW

Dimensions (H x W x D inset)

621 x 522 x 235mm (Full Trim)

610 x 500 x 235mm (Half Trim)

Full Trim

Code	Colour Option
103779BS	Brass
103779CP	Chrome

Half Trim

Code	Colour Option
103780BS	Brass
103780CP	Chrome

Clifton Fret

Code	Colour Option	Code	Colour Option
103787BS	Brass	103787CP	Chrome



Brick Chimney (Class 1)



Pre-fabricated Flue (Class 2)



Slide



Coals



Valor Centre Exclusive



Brass Full Trim



103779BS Brass Full Trim

Trueflame FD Convector Downton

Output 4.0kW

Dimensions (H x W x D inset)

621 x 522 x 235mm (Full Trim)

610 x 500 x 235mm (Half Trim)

Full Trim

Code	Colour Option
103779BS	Brass
103779CP	Chrome

Half Trim

Code	Colour Option
103780BS	Brass
103780CP	Chrome

Downton Fret

Code	Colour Option	Code	Colour Option
103783BS	Brass	103783CP	Chrome

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals

Chrome
Half Trim

103778CP Chrome Half Trim

Trueflame FD Homeflame Alton

Output 3.85kW

Dimensions (H x W x D inset)

621 x 522 x 186mm (Full Trim)

610 x 500 x 186mm (Half Trim)

Full Trim

Code	Colour Option
103777BS	Brass
103777CP	Chrome

Half Trim

Code	Colour Option
103778BS	Brass
103778CP	Chrome

Alton Fret

Code	Colour Option	Code	Colour Option
103784BS	Brass	103784CP	Chrome

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



Valor Centre Exclusive

Brass
Full Trim

103777BS Brass Full Trim

Trueflame FD Homeflame Bauhaus

Output 3.85kW

Dimensions (H x W x D inset)

621 x 522 x 186mm (Full Trim)

610 x 500 x 186mm (Half Trim)

Full Trim

Code	Colour Option
103777BS	Brass
103777CP	Chrome

Half Trim

Code	Colour Option
103778BS	Brass
103778CP	Chrome

Bauhaus Fret

Code	Colour Option	Code	Colour Option
103785BS	Brass	103785CP	Chrome

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



Valor Centre Exclusive

Chrome
Half Trim



103778CP Chrome Half Trim

Trueflame FD Homeflame Blenheim

Output 3.85kW

Dimensions (H x W x D inset)

621 x 522 x 186mm (Full Trim)

610 x 500 x 186mm (Half Trim)

Full Trim

Code	Colour Option
103777BS	Brass
103777CP	Chrome

Half Trim

Code	Colour Option
103778BS	Brass
103778CP	Chrome

Blenheim Fret

Code	Colour Option	Code	Colour Option
103781BS	Brass	103781CP	Chrome

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals

Brass
Full Trim

103777BS Brass Full Trim

Trueflame FD Homeflame Clifton

Output 3.85kW

Dimensions (H x W x D inset)

621 x 522 x 186mm (Full Trim)

610 x 500 x 186mm (Half Trim)

Full Trim

Code	Colour Option
103777BS	Brass
103777CP	Chrome

Half Trim

Code	Colour Option
103778BS	Brass
103778CP	Chrome

Clifton Fret

Code	Colour Option	Code	Colour Option
103787BS	Brass	103787CP	Chrome

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals



Valor Centre Exclusive

Brass
Half Trim

103778CP Chrome Half Trim

Trueflame FD Homeflame Downton

Output 3.85kW

Dimensions (H x W x D inset)

621 x 522 x 186mm (Full Trim)

610 x 500 x 186mm (Half Trim)

Full Trim

Code	Colour Option
103777BS	Brass
103777CP	Chrome

Half Trim

Code	Colour Option
103778BS	Brass
103778CP	Chrome

Downton Fret

Code	Colour Option	Code	Colour Option
103783BS	Brass	103783CP	Chrome

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Slide



Coals

Chrome
Full Trim

Trueflame
MIX & MATCH



Challenge your expectations

The Trueflame range of mix & match inset gas fires provide increased flexibility when it comes to choosing a gas fire. The Trueflame range combines Valor's marketing leading engines with a wide range of trim and fret options. You can choose your Valor engine, trim and fret to create your own design to suit any preference.

For further information, please visit www.valor.co.uk





Valor Helmsley radiant gas fire illustrated



109652 Bronze

Firenze

Output
3.4kW

Dimensions (H x W x D)
658 x 506 x 222mm

Code	Colour Option
109653	Black
109652	Bronze

FLAVEL

74%
EFFICIENCY

7
YEAR GUARANTEE

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue

Electronic Top
Control

Radiant

Misermatic

Output
5.2kW

Dimensions (H x W x D)
615 (515mm and 100mm for the feet) x 800 x 200mm

Code	Colour Option
109103MY	Mahogany
109103TK	Teak
109103LO	Light Oak
109103MO	Medium Oak
109103BK	Black Oak

FLAVEL

84%
EFFICIENCY

7
YEAR GUARANTEE



109103LO Light Oak

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue

Electronic Top
Control

Radiant



109655BK Black

Regent

Output

4.4kW

Dimensions (H x W x D)

680 x 710 x 255mm

Code

109655BK

109655BR

Colour Option

Black

Bronze

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue

Electronic
Control

Radiant

FLAVEL

74%
EFFICIENCY

7
YEAR GUARANTEE


109105SR Silver

Renaissance

Output

5.2kW

Dimensions (H x W x D)

652 x 730 x 200mm

Code

109105SR

109105BK

Colour Option

Silver

Black

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue

Electronic Top
Control

Radiant

FLAVEL

84%
EFFICIENCY

7
YEAR GUARANTEE


109104CM Cream

Strata

Output

5.2kW

Dimensions (H x W x D)

630 (530mm and 100mm for the feet) x 715 x 210mm

Code

109104BK

109104BN

109104WT

109104CM

Colour Option

Black

Brown

White

Cream

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue

Electronic Top
Control

Radiant

FLAVEL

84%
EFFICIENCY

7
YEAR GUARANTEE



109781BR Bronze

Welcome Electronic

Output

4.4kW

Dimensions (H x W x D)

680 x 718 x 310mm

Code

109781BR Bronze
109781BK Black

Colour Option

FLAVEL

74%
EFFICIENCY

7
YEAR GUARANTEE

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Radiant

Firegem Visa

Output

4.87kW

Dimensions (H x W x D)

540 x 660 x 196mm

Code

109504 Black
109504BN Olive
109480BC Black/Chrome

Colour Option

RW

ROBINSON WILLEY

89%
EFFICIENCY

1
YEAR GUARANTEE



109480BC Black/Chrome

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Radiant

Firegem Visa Deluxe

Output

4.87kW

Dimensions (H x W x D)

556 x 695 x 198mm

Code

109506 Teak

Colour Option

RW

ROBINSON WILLEY

89%
EFFICIENCY

1
YEAR GUARANTEE



109506 Teak

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Radiant



109481BC Black/Chrome

Firegem Visa Highline

Output
4.87kW

Dimensions (H x W x Inset D)
622 x 660 x 196mm

Code	Colour Option
109507BK	Black
109481BC	Black/Chrome
109507OV	Olive
109510BK	Black Electronic

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual

Electronic Top
Control

Radiant

RW
ROBINSON WILLEY

89%
EFFICIENCY

1
YEAR GUARANTEE



109507TK Teak

Firegem Visa Highline Deluxe

Output
4.87kW

Dimensions (H x W x D)
638 x 695 x 198mm

Code	Colour Option
109507TK	Teak

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Radiant

RW
ROBINSON WILLEY

89%
EFFICIENCY

1
YEAR GUARANTEE



109482PC Pewter/Chrome

Sahara Safeguard

Output
4.87kW

Dimensions (H x W x D)
643 x 727 x 232mm

Code	Colour Option
109512PR	Pewter
109512BR	Bronze
109482PC	Pewter/Chrome

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual

Electronic Top
Control

Radiant

RW
ROBINSON WILLEY

88%
EFFICIENCY

1
YEAR GUARANTEE



109955 Black

Black Beauty Radiant

Output

4.0kW

Dimensions (H x W x D)

625 x 657 x 204mm (Manual & Electronic)

Code

109955

103770

Colour Option

Black (Top Manual Control)

Black (Top Electronic Control)

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Manual

Electronic Top
Control

Radiant



10376TK Teak

Brava Radiant

Output

4.0kW

Dimensions (H x W x D)

610 x 713 x 177mm (Manual & Electronic)

Code

10376TK

103755TK

Colour Option

Teak (Top Manual Control)

Teak (Top Electronic Control)

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)


Pre-cast Flue



Manual

Electronic Top
Control

Radiant



109854 Black

Firelite Radiant

Output

4.0kW

Dimensions (H x W x D)

633 x 620 x 205mm

Code

109854

109855

Colour Option

Black (Top Manual Control)

Black (Top Electronic Control)

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Manual

Electronic Top
Control

Radiant





109946BC Black/Chrome

Helmsley

Output

4.0kW

Dimensions (H x W x D)

630 x 657 x 225mm

Code

109946BC

Colour Option

Black/Chrome

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue

Electronic Top
Control

Radiant



Valor Centre Exclusive



Flavel Emberglow Outset LFE gas fire illustrated



109769 Black

Emberglow

Output

4.3kW

Dimensions (H x W x D)

708 x 673 x 324mm

Code

109769

109667

Colour Option

Black (Manual)

Black (Remote)

Brick Chimney
(Class 1)Pre-fabricated
Flue (Class 2)

Pre-cast Flue



Electronic



Fully Remote



Coals



109659BK Black

Regent LFE

Output

3.2kW

Dimensions (H x W x D)

680 x 710 x 255mm

Code

Code	Colour Option
109780BK	Black (Electronic Control)
109780BR	Bronze (Electronic Control)
109659BK	Black (Remote Control)
109659BR	Bronze (Remote Control)



Brick Chimney (Class 1)



Prefabricated Flue (Class 2)



Pre-cast Flue



Electronic Control



Remote



Coals

FLAVEL

60%
EFFICIENCY

3
YEAR WARRANTY



109665BK Black

Renoir

Output

4.3kW

Dimensions (H x W x D)

703 x 684 x 324mm

Code

Code	Colour Option
109657BR	Bronze (Electronic Control)
109657BK	Black (Electronic Control)
109665BR	Bronze (Remote Control)
109665BK	Black (Remote Control)



Brick Chimney (Class 1)



Prefabricated Flue (Class 2)



Pre-cast Flue



Electronic Control



Remote



Coals

FLAVEL

78%
EFFICIENCY

3
YEAR WARRANTY



109556BK Black

Firecharm LFE Electronic

Output

4.4kW

Dimensions (H x W x D)

635 x 650 x 241mm

Code

Code	Colour Option
109556BK	Black
109556BR	Bronze



Brick Chimney (Class 1)



Prefabricated Flue (Class 2)



Pre-cast Flue



Electronic Top Control



Coals

RW
ROBINSON WILLEY

88%
EFFICIENCY

1
YEAR WARRANTY



109460BR Bronze

Sahara LFE Electronic

Output

4.4kW

Dimensions (H x W x D)

643 x 727 x 250mm

Code

109460BR

109460PR

Colour Option

Bronze

Pewter

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue

Electronic Top
Control

Coals



109806 Black/Brass

Black Beauty Slimline

Output

4.0kW

Dimensions (H x W x D)

655 x 657 x 247mm

Code

109806

Colour Option

Black/Brass (Side Manual Control)

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



109805 Black/Gold

Heartbeat

Output

3.6kW

Dimensions (H x W x D)

643 x 632 x 212mm

Code

109805

Colour Option

Black/Gold (Side Manual Control)

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals





116602 Black

Ambience

Output

3.5kW

Dimensions (H x W x D)

620 x 540 x 335mm

Code

116602

Colour Option

Black



Flueless



Manual



Logs

burley



116608BS Brass

Environ

Output

2.5kW

Dimensions (H x W x D)

612 x 518 x 240mm

Code

116608BS

Colour Option

Brass (Coals)

116608BK

Black (Coals)

116608SS

Brushed Steel (Pebbles)

116608AL

Polished Aluminium (Coals)

116609BS

Brass (Remote Control/Coals)



Flueless



Manual



Remote



Coals



Pebbles

burley



116604 Black

Esteem

Output

2.5kW

Dimensions (H x W x D)

620 x 540 x 275mm

Code

116604

Colour Option

Black



Flueless



Manual



Coals

burley





Valor Valentia balanced flue gas fire illustrated



109701 Stainless Steel

Atlanta Balanced Flue

Output

2.8kW

Dimensions (H x W x D)

622 x 485 x 125mm

Code

109701

Colour Option

Stainless Steel

FLAVEL

66%
EFFICIENCY

3
YEAR GUARANTEE



Balanced Flue



Manual



109771SR Silver

Calibre Balanced Flue

Output

4.3kW

Dimensions (H x W x D)

595 x 500 x 185mm

Code

Code	Colour Option
109771BS	Brass Manual
109771SR	Silver Manual
109772BS	Brass Remote
109772SR	Silver Remote



Balanced Flue



Manual



Remote



Coals

FLAVEL

94%
EFFICIENCY

3
YEAR GUARANTEE



109672 Black

Emberglow Balanced Flue

Output

4.3kW

Dimensions (H x W x D)

708 x 673 x 334mm

Code

Code	Colour Option
109672	Black



Balanced Flue



Manual



Coals

FLAVEL

87%
EFFICIENCY

3
YEAR GUARANTEE



109132SB Silver/Black

Orchestra Balanced Flue

Output

2.8kW

Dimensions (H x W x D)

620 x 470 x 125mm

Code

Code	Colour Option
109132BB	Brass/Black
109132SB	Silver/Black



Balanced Flue



Manual



Coals

FLAVEL

80%
EFFICIENCY

3
YEAR GUARANTEE



109683 Brass

Raglan Balanced Flue

Output

2.8kW

Dimensions (H x W x D)

620 x 470 x 125mm

Code

109683

109683CP

Colour Option

Brass

Silver



Balanced Flue



Manual



Coals

FLAVEL



109557BR Bronze

Firecharm RS Balanced Flue

Output

3.57kW

Dimensions (H x W x D)

633 x 646 x 273mm

Code

109557BK

109557BR

Colour Option

Black

Bronze



Balanced Flue



Electronic Top Control



Coals

RW

ROBINSON WILLEY



109910GD Pale Gold

Dream Balanced Flue

Output

2.8kW

Dimensions (H x W x D)

636 x 518 x 110mm

Code

109910GD

109910BK

109910CP

Colour Option

Pale Gold

Black

Chrome



Balanced Flue



Touch Control



Coals

valor





109944BN Black Nickel

Excelsior Balanced Flue

Output

2.8kW

Dimensions (H x W x D inset)

636 x 518 x 110mm

Code

109944BN

109944PG

Colour Option

Black Nickel

Pale Gold



Balanced Flue



Touch Control



Coals



Valor Centre Exclusive

valor



109945PG Pale Gold

Masquerade Balanced Flue

Output

2.8kW

Dimensions (H x W x D inset)

636 x 518 x 110mm

Code

109945BN

109945PG

Colour Option

Black Nickel

Pale Gold



Balanced Flue



Touch Control



Coals



Valor Centre Exclusive

valor



109947BC Black/Chrome

Valentia Balanced Flue

Output

3.57kW

Dimensions (H x W x D inset)

633 x 646 x 273mm

Code

109947BC

Colour Option

Black/Chrome



Balanced Flue



Electronic Top Control



Coals

valor



Suites & Surrounds

- Electric Suites
- Fire Surrounds
 - Electric
- Gas Suites
 - Castings
- Fire Surrounds
 - Solid Oak
 - Veneers



INSPIRE

COLLECTION



Discover 'Inspire' a new collection of landscape gas fires from Valor, combining design inspiration with innovative performance features and easy servicing to deliver the perfect package for consumers.

The Inspire collection includes two initial models - 600 and 800 - each boasting state of the art controls, unrivalled design flexibility and Valor's unique Duo burner for enhanced performance. You can choose from a long list of design choices, with 600 or 800 models each available with a choice of controls, liners, logs, trim effect and suites. This includes two fuel beds, five ceramic liners, two trim designs (each in a choice of four colours) and a choice of two suites for each model. There is also a frameless kit available for the Inspire collection which requires no trim. With over 1750 design choices to choose from, we have simplified the ordering process for you to help you when placing an order.

Choose the following:

1. Engine with preferred control. 2. Trim design & colour 3. Liner choice 4. Log option 5. Suite design (if required)

Trim & Liner Options

Edge Trims

(Frameless Kit: A9)



Chrome
Code: A1



Brushed Chrome
Code: A2



Anthracite
Code: A3



Black
Code: A4



Mirrored Glass Liner
Code: B1

Log bed code: Oak - C1 | Rustic - C2



Vermiculite Liner
Code: B2



Black Liner
Code: B3

INSPIRE

COLLECTION



Inspire 800 FS



Inspire 800 Abruzzo Suite



Inspire 800 Messina Suite

Inspire 600 Range

- Heat output 4.0kW
- 75% Efficiency
- Fireside or remote control
- Duo burner technology
- Choice of liners & trims

- Suitable for brick chimneys
- Natural Gas
- Frameless kit
- Can be fitted into wall or as part of suite
- Suitable for Napoli & Verona suites

Inspire 800 Range

- Heat output 4.6 kW
- 80% Efficiency
- Fireside or remote control
- Duo burner technology
- Choice of liners & trims

- Suitable for brick chimneys
- Natural Gas
- Frameless kit
- Can be fitted into wall or as part of suite
- Suitable for Abruzzo & Messina suites

Note: - For product codes for fires & suites, please refer to price list



Chrome
Code: A5



Brushed Chrome
Code: A6



Anthracite
Code: A7



Black
Code: A8



Stone Liner
Code: B4



Brick Liner
Code: B5



143953 Almond Stone Effect

Linmere

Output
2.0kW

Dimensions (H x W x D)
995 x 1120 x 330mm

Code	Colour Option
143953	Almond Stone Effect

Suite includes electric fire illustrated



Manual



Logs

bemodern
THE NEW FINE PLACE



143955 Natural Oak Finish

Stanton

Output
2.0kW

Dimensions (H x W x D)
1058 x 1170 x 330mm

Code	Colour Option
143955	Natural Oak Finish

Suite includes electric fire illustrated



Manual



Logs

bemodern
THE NEW FINE PLACE



142953 Stone

Alameda Opti-myst

Output
2.0kW

Dimensions (H x W x D)
895 x 1075 x 300mm

Code	Colour Option
142953	Stone

Suite includes electric fire illustrated



Remote



Logs



Display & Demonstrate

Dimplex





143364 Stone Effect

Chadwick Suite

Output

1.2kW

Dimensions (H x W x D)

915 x 934 x 297mm

Code

143364

Colour Option

Stone Effect

Suite includes electric fire illustrated



Manual



Logs

Dimplex



142959 Black

Covelo

Output

1.5kW

Dimensions (H x W x D)

905 x 890 x 260mm

Code

142959

Colour Option

Black

Suite includes electric fire illustrated



Remote



Logs



Display & Demonstrate

Dimplex



142964 Light Oak

Figaro

Output

1.5kW

Dimensions (H x W x D)

750 x 700 x 260mm

Code

142964

Colour Option

Light Oak

Suite includes electric fire illustrated



Remote



Logs



Display & Demonstrate

Dimplex





143171 Stone

Mini Mozart

Output
1.5kW

Dimensions (H x W x D)
750 x 700 x 260mm

Code	Colour Option
143171	Stone

Suite includes electric fire illustrated



Remote



Logs

Display &
Demonstrate

Dimplex



143118 Cream

Mozart Suite

Output
2.0kW

Dimensions (H x W x D)
857 x 920 x 375mm

Code	Colour Option
143118	Cream
143118BK	Black

Suite includes electric fire illustrated



Manual



Logs

Dimplex



143172 Stone

Moorefield Opti-myst

Output
2.0kW

Dimensions (H x W x D)
870 x 920 x 315mm

Code	Colour Option
143172	Stone

Suite includes electric fire illustrated



Remote



Logs

Display &
Demonstrate

Dimplex





143115 Mahogany/Cream

Ashmore Surround

Dimensions (H x W x D)

1120 x 1200 x 402mm

Code

143115

Colour Option

Mahogany/Cream

Compatible with all of the current
Dimplex 16" and 18" inset fires

Dimplex



143114 Maple/Black

Holwell Surround

Dimensions (H x W x D)

1120 x 1200 x 402mm

Code

143114

Colour Option

Maple/Black

Compatible with all of the current
Dimplex 16" and 18" inset fires

Dimplex



143116 Stone Effect

Rockbourne Surround

Dimensions (H x W x D)

1080 x 1200 x 350mm

Code

143116

Colour Option

Stone Effect

Compatible with all of the current
Dimplex 16" and 18" inset fires

Dimplex





116581 Medium Oak/Black Granite

Blandford Suite

Output
2.75kW

Dimensions (H Mantel & Hearth x W Hearth x D Hearth)
1195 x 1370 x 380mm

Code	Mantel Option	Hearth Panel
116581	Medium Oak	Black Granite

Suite includes gas fire illustrated

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Coals



116582 Ivory/Black Granite

Romsey Suite

Output
2.75kW

Dimensions (H Mantel & Hearth x W Hearth x D Hearth)
1245 x 1370 x 380mm

Code	Mantel Option	Hearth Panel
116582	Ivory	Black Granite

Suite includes gas fire illustrated

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Coals



116580 Stripped Pine/Black Granite

Woburn Suite

Output
2.75kW

Dimensions (H Mantel & Hearth x W Hearth x D Hearth)
1205 x 1370 x 380mm

Code	Mantel Option	Hearth Panel
116580	Stripped Pine	Black Granite


Suite includes gas fire illustrated

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Manual



Coals





116572 Solid Oak Mantel

Barletta Surround

Dimensions (H Mantel & Hearth x W Hearth x D Hearth)

1170 x 1370 x 380mm

Code	Mantel Option
116572	Solid Oak



Shown with Crystal Diamond gas fire and black granite back panel & hearth

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



116570 Solid Oak Mantel

Tivoli Surround

Dimensions (H Mantel & Hearth x W Hearth x D Hearth)

1155 x 1370 x 380mm

Code	Mantel Option
116570	Solid Oak



Shown with Crystal Diamond gas fire and black granite back panel & hearth

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



116599 Solid Oak Mantel

Milan Surround

Dimensions (H Mantel & Hearth x W Hearth x D Hearth)

1170 x 1370 x 380mm

Code	Mantel Option
116599	Solid Oak



Shown with Crystal Diamond gas fire and marfil stone back panel & hearth

Brick Chimney
(Class 1)Prefabricated
Flue (Class 2)

Pre-cast Flue



Manual



Coals



116598 Brilliant White Veneer Mantel

Venice Surround

Dimensions (H Mantel & Hearth x W Hearth x D Hearth)

1220 x 1370 x 380mm

Code

116598

Mantel Option

Brilliant White



Shown with Crystal Diamond gas fire and black granite back panel & hearth



Brick Chimney (Class 1)



Prefabricated Flue (Class 2)



Pre-cast Flue



Manual



Coals



116597 Brilliant White Veneer Mantel

Florence Surround

Dimensions (H Mantel & Hearth x W Hearth x D Hearth)

1200 x 1370 x 380mm

Code

116597

Mantel Option

Brilliant White



Shown with Crystal Diamond gas fire and black granite back panel & hearth



Brick Chimney (Class 1)



Prefabricated Flue (Class 2)



Pre-cast Flue



Manual



Coals



116551 White Oak & Black Oak Veneer Mantel

Rimini Surround

Dimensions (H Mantel & Hearth x W Hearth x D Hearth)

1170 x 1370 x 380mm

Code

116551

Mantel Option

White Oak & Black Oak Veneer



Shown with Crystal Gem Royale 3 gas fire and black granite back panel & hearth



Brick Chimney (Class 1)



Prefabricated Flue (Class 2)



Pre-cast Flue



Manual



Coals

Stoves

Solid Fuel Stoves

Dimplex

Bellingham 5SE	5
Bellingham 8	5
Bellingham 12SE	6
Bellingham Inset	6
Langbrook SE	6
Westcott 5	7
Westcott 5SE	7
Westcott 8	7
Westcott 12	8
Westcott Inset	8

Flavel

Arundel	8
---------	---

Hamlet

Hardy 4	9
Hardy 5	9
Solution 5	9
Solution 5 Inset	10
Solution 7	10
Solution 7 Inset	10
Solution 9	11
Solution 11	11
Solution DEFRA	11

Valor

Baltimore	12
Brunswick	12
Ridlington	12

Solid Fuel Accessories

Arada	13
Certainly Wood	14

Gas Stoves

Valor

Brunswick Gas Stove	15
Ridlington Gas Stove	15

Electric Stoves

Dimplex

Auberry Opti-myst	16
Brayford	17
Burgate Opti-myst	17
Chevalier	17
Club LED	18
Courchevel	18
Meribel Opti-myst	18
Oakhurst Opti-myst	19
Piermont Opti-myst	19
Springborne	19
Stockbridge	20
Tango	20

Valor

Glendale Dimension	20
--------------------	----

Electric

Wall Hung

Be Modern

Quattro	23
---------	----

Dimplex

Bach	23
Bizet	24
Opti-V PGF-10	24
Opti-V PGF-20	24
Redway Opti-myst	25
SP16	25
Tahoe Opti-myst	25

Freestanding

Dimplex

Freestanding Cellini	26
Freestanding Volterra	27
Freestanding Castillo	27
Freestanding Cheriton	27
Freestanding Detroit	28
Freestanding Microfire	28
Freestanding Zamora	28

Inset

Dimplex

Adagio	29
Adagio - Display & Demonstrate	30
Aspen	30
Danesbury	30
Danesbury LED	31
Danville Opti-myst	31
Delius	31
Delius - Display & Demonstrate	32
Elda	32
Exbury	32
Exbury - Display & Demonstrate	33
Freeport LED	33
Horton	33
Montclair	34
Rockport LED	34
Sacramento Opti-myst	34
Silverton Opti-myst	35
Stamford	35
Westbrook Opti-myst	35
Whitmore Opti-myst	36
Wynford	36
X1	36

Valor

Alton Slimline Dimension	37
Bauhaus Slimline Dimension	37
Blenheim Slimline Dimension	37
Clifton Slimline Dimension	38
Downton Slimline Dimension	38
Dream Slimline Dimension	38
Excelsior Slimline Dimension	39
Masquerade Slimline Dimension	39
Petrus Slimline Dimension	39

Gas

Hole In The Wall

Crystal Fires

Boston	41
Florida	41
Gem Royale 4	41
Manhattan	42
Miami	42
Montana Royale 4 HE	42

Flavel

Curve	43
Diamond HE	43
Finesse	43
Jazz HE	44
Kamina	44
Windsor Plus Wall Mounted	44

Inset

Crystal Fires

Diamond	45
Diamond Contemporary	46
Gem	46
Gem Monarch	46
Gem Royale 3	47
Montana Inset HE	47
Montana Royale 3 HE	47
Super Radiant Contemporary	48
Super Radiant Grace	48

Flavel

Calypso Plus	48
--------------	----

Caress Contemporary HE	49
Caress Plus Traditional	49
Caress Traditional	49
Caress Traditional HE	50
Caress Traditional Slimline	50
Hampton Slimline	50
Linear HE	51
Rhapsody Plus	51
Richmond Plus	51
Windsor Contemporary	52
Windsor Contemporary HE	52
Windsor Traditional	52
Windsor Traditional HE	53

Valor

Airflame Convector Alton	53
Airflame Convector	53
Full Trim Bauhaus	53
Airflame Convector Bauhaus	54
Airflame Convector Blenheim	54
Airflame Convector	54
Full Trim Bramford	54
Airflame Convector Clifton	55
Airflame Convector Downton	55
Blakely Airflame Convector	55
Blakely Landscape	56
Blenheim Full Depth	56
Blenheim Slimline	56
Blenheim Slimline Homeflame	57
Bloomsbury Airflame Convector	57
Classica Full Depth Homeflame	57
Dream Full Depth Convector	58
Dream Slimline Convector	58
Dream Full Depth Homeflame	58
Dream Slimline Homeflame	59
Excelsior Full Depth Convector	59
Excelsior Full Depth Homeflame	59
Excelsior Slimline Convector	60
Excelsior Slimline Homeflame	60
Harmony Full Depth Homeflame	60
Majestic - Decorative Gas Fire	61
Masquerade F/Depth Convector	61
Masquerade F/Depth Homeflame	61
Masquerade Slimline Convector	62
Masquerade Slimline Homeflame	62
Petrus Full Depth Homeflame	62
Petrus Slimline Homeflame	63
Seattle Slimline	63
Trueflame FD Convector Alton	63
Trueflame FD Convector	64
Bauhaus	64
Trueflame FD Convector	64
Blenheim	64
Trueflame FD Convector	64
Clifton	64
Trueflame FD Convector	65
Downton	65
Trueflame FD Homeflame	65
Alton	65
Trueflame FD Homeflame	65
Bauhaus	65
Trueflame FD Homeflame	66
Blenheim	66
Trueflame FD Homeflame	66
Clifton	66
Trueflame FD Homeflame	66
Downton	66

Outset Radiant

Flavel

Firenza	68
Misermatic	68
Regent	69
Renaissance	69
Strata	69
Welcome Electronic	70

Robinson Willey

Firegem Visa	70
Firegem Visa Deluxe	70

Firegem Visa Highline	71
Firegem Visa Highline Deluxe	71
Sahara Safeguard	71

Valor

Black Beauty Radiant	72
Brava Radiant	72
Firelite Radiant	72
Helmsley	73

Outset LFE

Flavel

Emberglow	73
Regent LFE	74
Renoir	74

Robinson Willey

Firecharm LFE Electronic	74
Sahara LFE Electronic	75

Valor

Black Beauty Slimline	75
Heartbeat	75

No Chimney - Flueless

Burley

Ambience	76
Environ	76
Esteem	76

Balanced Flue

Flavel

Atlanta	77
Calibre	78
Emberglow BF	78
Orchestra	78
Raglan	79

Robinson Willey

Firecharm RS	79
--------------	----

Valor

Dream Balanced Flue	79
Excelsior Balanced Flue	80
Masquerade Balanced Flue	80
Valencia Balanced Flue	80

Suites & Surrounds

Electric Suites

Be Modern

Linmere	84
Stanton	84

Dimplex

Alameda Opti-myst	84
Chadwick Suite	85
Covelo	85
Figaro	85
Mini Mozart	86
Mozart Suite	86
Moorefield Opti-myst	86

Surrounds - Electric

Dimplex

Ashmore Surround	87
Holwell Surround	87
Rockbourne Surround	87

Gas Suites - Castings

GB Mantels

Blandford Suite	88
Romsey Suite	88
Woburn Suite	88

Surrounds - Solid Oak

GB Mantels

Barletta Surround	89
Tivoli Surround	89
Milan Surround	89

Surrounds - Veneers

GB Mantels

Venice Surround	90
Florence Surround	90
Rimini Surround	90



Head Office: F & P Wholesale, Eldon Way, Crick, Northamptonshire NN6 7SL

Registered in England No 60987. Registered Office: Lodge Way House, Lodge Way, Harlestone Road, Northampton NN5 7UG.

© F & P Wholesale - No part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, without prior permission from the publishers. Every care is taken to ensure that the information quoted in this brochure is correct at the time of going to press. E & OE.

Copies of our full terms and conditions are available from our Head Office.