



SAFETY DATA SHEET

KNOCK OUT SPIRITS OF SALT

Page: 1

Compilation date: 03/05/2017

Revision date: 30/10/2019

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: * KNOCK OUT SPIRITS OF SALT

Product code: SOSAGEN

Synonyms: HYDROCHLORIC ACID 32%

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: * THIS PRODUCT IS A CORROSIVE PRODUCT UNDER UK OFFENSIVE WEAPONS ACT 2019 WHICH RESTRICTS SALE OR DELIVERY TO SOMEONE UNDER THE AGE OF 18 YEARS OLD. Industrial Use. Professional Use. Consumer Use. Unique Formula Identifier (UFI) in accordance with Commission Regulation (EU) No 2017/542. UFI: RA20-J09C-V00X-8WEW

1.3. Details of the supplier of the safety data sheet

Company name: J.V. Barrett & Co Ltd

St Ivel Way

Warmley

Bristol

BS30 8TY

United Kingdom

Tel: 01179600060

Fax: 01179352437

Email: sales@barrettine.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1179 600060 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.) +44 (0) 1270 502891 (Out of hours emergency number)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Met. Corr. 1: H290; Skin Corr. 1A: H314; STOT SE 3: H335

Most important adverse effects: May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.

[cont...]

SAFETY DATA SHEET

KNOCK OUT SPIRITS OF SALT

Page: 2

2.2. Label elements

Label elements:

Hazard statements: H290: May be corrosive to metals.
H314: Causes severe skin burns and eye damage.
H335: May cause respiratory irritation.

Hazard pictograms: GHS05: Corrosion
GHS07: Exclamation mark



Signal words: Danger

Precautionary statements: P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P234: Keep only in original packaging.
P260: Do not breathe vapours/spray.
P264: Wash contaminated skin thoroughly after handling.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call POISON CENTER/doctor.
P363: Wash contaminated clothing before reuse.
P405: Store locked up.
P501: Dispose of contents/container to hazardous or special waste collection point in accordance with national regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

[cont...]

SAFETY DATA SHEET

KNOCK OUT SPIRITS OF SALT

Page: 3

HYDROGEN CHLORIDE IN AQUEOUS SOLUTION - REACH registered number(s): 01-2119484862-27-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-595-7	-	-	Met. Corr. 1: H290; Skin Corr. 1A: H314; STOT SE 3: H335	30-50%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Treat Symptomatically.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

[cont...]

SAFETY DATA SHEET

KNOCK OUT SPIRITS OF SALT

Page: 4

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes of hydrogen chloride / phosgene.
Gives off hydrogen by reaction with metals.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): PC35: Washing and cleaning products (including solvent based products).

Section 8: Exposure controls/personal protection

8.1. Control parameters

[cont...]

SAFETY DATA SHEET

KNOCK OUT SPIRITS OF SALT

Page: 5

Hazardous ingredients:

HYDROGEN CHLORIDE IN AQUEOUS SOLUTION

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	-	1 ppm	5 ppm

DNEL/PNEC Values

Hazardous ingredients:

HYDROGEN CHLORIDE IN AQUEOUS SOLUTION

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (repeated dose)	8 mg/m ³	Workers	Local
DNEL	Inhalation	15 mg/m ³	Workers	Local
DNEL	Inhalation (repeated dose)	8 mg/m ³	General Population	Local
DNEL	Inhalation	15 mg/m ³	General Population	Local
PNEC	Fresh water	36 µg/l	-	-
PNEC	Marine water	36 µg/l	-	-
PNEC	Microorganisms in sewage treatment	36 µg/l	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: If ventilation is insufficient suitable respiratory protection must be provided.

Hand protection: * Impermeable gloves. Breakthrough time of the glove material > 8 hours. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Eye protection: * Tightly fitting safety goggles. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Skin protection: * Impermeable protective clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental: Avoid release to the environment

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Characteristic odour

Evaporation rate: No data available.

[cont...]

SAFETY DATA SHEET

KNOCK OUT SPIRITS OF SALT

Page: 6

Oxidising: No data available.

Solubility in water: Miscible in all proportions

Viscosity: 1.74 mPa.s (20oC)

Boiling point/range°C: 90

Melting point/range°C: No data available.

Flammability limits %: lower: Not applicable.

upper: Not applicable.

Flash point°C: Not applicable.

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: Not applicable.

Vapour pressure: 21.8 hPa (20oC)

Relative density: 1.15-1.17

pH: <0.1 (20oC)

VOC g/l: No data available.

9.2. Other information

Other information: Corrosive to metals

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Metals. Amines. Strong oxidising agents. Sodium Hypochlorite. Chlorite. Cyanides.
Alkalines.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of hydrogen chloride / phosgene.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

HYDROGEN CHLORIDE IN AQUEOUS SOLUTION

DERMAL	RBT	LD50	>5010	mg/kg
ORAL	RAT	LD50	2222	mg/kg

[cont...]

SAFETY DATA SHEET

KNOCK OUT SPIRITS OF SALT

Page: 7

VAPOURS	RAT	5M LC50	45.6	mg/l
---------	-----	---------	------	------

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

HYDROGEN CHLORIDE IN AQUEOUS SOLUTION

ALGAE	72H ErC50	0.73	mg/l
Daphnia magna	48H EC50	0.45	mg/l
FISH	24H LC50	20.5	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

[cont...]

SAFETY DATA SHEET

KNOCK OUT SPIRITS OF SALT

Page: 8

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1789

14.2. UN proper shipping name

Shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: II

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: * Retail packs require a child resistant closure to BS EN ISO 28317 and a tactile warning triangle. THIS PRODUCT IS A CORROSIVE PRODUCT UNDER UK OFFENSIVE WEAPONS ACT 2019 AND RESTRICTS SALE OR DELIVERY TO SOMEONE UNDER THE AGE OF 18 YEARS OLD.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

[cont...]

SAFETY DATA SHEET

KNOCK OUT SPIRITS OF SALT

Page: 9

Phrases used in s.2 and s.3: H290: May be corrosive to metals.
H314: Causes severe skin burns and eye damage.
H335: May cause respiratory irritation.

Legend to abbreviations: PNEC = predicted no effect concentration
DNEL = derived no effect level
LD50 = median lethal dose
LC50 = median lethal concentration
LDLO = lethal dose low
EC50 = median effective concentration
IC50 = median inhibitory concentration
dw = dry weight
bw = body weight
cc = closed cup
oc = open cup
MUS = mouse
GPG = guinea pig
RBT = rabbit
HAM = hamster
HMN = human
MAM = mammal
PGN = pigeon
IVN = intravenous
IPR = intraperitoneal
SCU = subcutaneous
ORL = oral
SKN = skin
DRM = dermal
OCC = ocular/corneal
OPT = optical
ING = ingestion
INH = inhalation
PCP = physico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.