

||||>>> HENRAD

STELRAD RADIATOR GROUP

Any room.
Any home.
Any lifestyle.



Available from your local Primaflow F&P distribution centre today



Contents

3/4	Compact
5/6	Compact K3
7/8	Everest Line
9/10	Everest Line Concept
11/12	Alto Line
13/14	Plan
15/16	Plan Concept
17/18	Plan Vertical
19/24	Verona Range
20	- Verona Single Plane
20	- Verona Double Plane
21/22	- Verona Vertical Single
22	- Verona Vertical Double RANGE EXTENSION
23	- Verona Lo-Line
24	- Verona Slimline
25/26	Column Range
26	- Column 2
26	- Column 2 Vertical
26	- Column 3
26	- Column 4
27/28	Column Concept
29/30	Arno Towel Rail Range
30	- Arno Single
30	- Arno Double
31/32	Verona Towel Rail
33/34	LST Standard
35/36	Colour Range
37	Accessories
38	Glossary

Why Not Upgrade?

Column

from **£158.65** exc. VAT.*



Upgrade to a
Column
from **£59.81**



Plan

from **£98.84** exc. VAT.*




Upgrade to a
Plan
from **£18.07**



Everest Line

from **£80.77** exc. VAT.*



Upgrade to a
Everest Line
from **£64.63**



Compact

from **£16.14** exc. VAT.*



*Compact, Everest Line & Plan based on 300 x 500 Type 11, Column based on 500 x 628 Column 2.

Compact

With a slim profile and smooth, white finish, Compact radiators will blend into any room in the house, to provide guaranteed heating performance.



Compact

Single Convector Type 11 & Type 21
Double Convector Type 22

Working pressure:
Tested to withstand 10.0 bar



Have you considered
Everest Line?



Type 11

Type 21

Type 22

For technical and installation information visit our website www.henrad.co.uk/downloads



SINGLE CONVECTOR TYPE 11



SINGLE CONVECTOR TYPE 21



DOUBLE CONVECTOR TYPE 22

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts Btu/hr		F & P List Price	Henrad Code	F & P Code	Heat emissions Watts Btu/hr		F & P List Price	Henrad Code	F & P Code	Heat emissions Watts Btu/hr		F & P List Price
300	500	2031105	110800	255	868	£16.14	2032105	110853	373	1271	£24.30	2032205	110896	491	1675	£30.73
	1000	2031110	110801	509	1737	£32.02	2032110	110854	745	2542	£48.28	2032210	110897	982	3351	£61.28
	1500	2031115	110802	764	2605	£47.94	2032115	110855	1118	3813	£72.27	2032215	110898	1473	5026	£91.85
	1600	-	-	-	-	-	-	-	-	-	-	2032216	110959	1571	5362	£122.52
	2000	2031120	110803	1018	3473	£63.88	2032120	110856	1490	5084	£96.26	2032220	110899	1964	6701	£122.40
450	400	2011104	110804	302	1032	£19.26	2012104	110857	422	1440	£27.97	2012204	110900	548	1871	£35.05
	500	2011105	110805	378	1290	£24.00	2012105	110858	528	1800	£34.88	2012205	110901	686	2339	£43.79
	600	2011106	110806	454	1548	£28.76	2012106	110859	633	2160	£41.81	2012206	110902	823	2807	£52.53
	700	2011107	110807	529	1806	£33.54	2012107	110860	739	2520	£48.74	2012207	110903	960	3274	£61.28
	800	2011108	110808	605	2064	£38.29	2012108	110861	844	2880	£55.67	2012208	110904	1097	3742	£70.01
	900	2011109	110809	680	2322	£43.07	2012109	110862	950	3240	£62.61	2012209	110905	1234	4210	£78.74
	1000	2011110	110810	756	2579	£47.86	2012110	110863	1055	3600	£69.56	2012210	110906	1371	4678	£87.48
	1100	2011111	110811	832	2837	£52.61	2012111	110864	1161	3960	£76.47	2012211	110907	1508	5146	£96.23
	1200	2011112	110812	907	3095	£57.40	2012112	110865	1266	4320	£83.41	2012212	110908	1645	5613	£104.96
	1400	2011114	110813	1058	3611	£66.92	2012114	110866	1477	5040	£97.27	2012214	110909	1919	6549	£122.45
	1600	2011116	110814	1210	4127	£76.47	2012116	110867	1688	5759	£111.13	2012216	110910	2194	7485	£139.92
	1800	2011118	110815	1361	4643	£86.02	2012118	110868	1899	6479	£124.99	2012218	110911	2468	8420	£157.40
	2000	2011120	110816	1512	5159	£95.58	2012120	110869	2110	7199	£138.86	2012220	110912	2742	9356	£174.89
	2200	2011122	110817	1663	5675	£105.12	-	-	-	-	-	2012222	110913	3016	10291	£192.38
	2400	2011124	110818	1814	6191	£114.67	-	-	-	-	-	2012224	110914	3290	11227	£209.87
600	300	2061103	110960	294	1003	£26.47	-	-	-	-	-	-	-	-	-	-
	400	2061104	110822	392	1338	£25.05	2062104	110870	538	1836	£36.09	2062204	110918	693	2364	£44.98
	500	2061105	110823	490	1672	£31.26	2062105	110871	673	2295	£45.04	2062205	110919	866	2955	£56.21
	600	2061106	110824	588	2006	£37.51	2062106	110872	807	2753	£54.01	2062206	110920	1039	3546	£67.44
	700	2061107	110825	686	2341	£43.74	2062107	110873	942	3212	£62.98	2062207	110921	1212	4137	£78.69
	800	2061108	110826	784	2675	£49.97	2062108	110874	1076	3671	£71.93	2062208	110922	1386	4728	£89.93
	900	2061109	110827	882	3009	£56.21	2062109	110875	1211	4130	£80.91	2062209	110923	1559	5319	£101.15
	1000	2061110	110828	980	3344	£62.45	2062110	110876	1345	4589	£89.88	2062210	110924	1732	5910	£112.39
	1100	2061111	110829	1078	3678	£68.71	2062111	110877	1480	5048	£98.84	2062211	110925	1905	6501	£123.62
	1200	2061112	110830	1176	4013	£74.93	2062112	110878	1614	5507	£107.83	2062212	110926	2078	7092	£134.88
	1400	2061114	110831	1372	4681	£87.40	2062114	110879	1883	6425	£125.77	2062214	110927	2425	8273	£157.35
	1600	2061116	110832	1568	5350	£99.88	2062116	110880	2152	7343	£143.69	2062216	110928	2771	9455	£179.83
	1800	2061118	110833	1764	6019	£112.37	2062118	110881	2421	8260	£161.64	2062218	110929	3118	10637	£202.30
	2000	2061120	110834	1960	6688	£124.84	2062120	110882	2690	9178	£179.58	2062220	110930	3464	11819	£223.53
	2200	2061122	110835	2156	7356	£137.33	-	-	-	-	-	2062222	110931	3810	13001	£247.26
	2400	2061124	110836	2352	8025	£149.80	-	-	-	-	-	2062224	110932	4157	14183	£269.73
700	400	2071104	110840	447	1527	£28.72	2072104	110883	612	2088	£41.31	2072204	110936	784	2676	£51.38
	500	2071105	110841	559	1906	£35.88	2072105	110884	765	2610	£51.59	2072205	110937	981	3345	£64.22
	600	2071106	110842	670	2287	£43.04	2072106	110885	918	3132	£61.87	2072206	110938	1177	4015	£77.07
	700	2071107	110843	782	2668	£50.20	2072107	110886	1071	3654	£72.17	2072207	110939	1373	4684	£89.93
	800	2071108	110844	894	3049	£57.39	2072108	110887	1224	4176	£82.45	2072208	110940	1569	5353	£102.77
	900	2071109	110845	1005	3430	£64.53	2072109	110888	1377	4698	£92.73	2072209	110941	1765	6022	£115.63
	1000	2071110	110846	1117	3811	£71.70	2072110	110889	1530	5220	£103.01	2072210	110942	1961	6691	£128.47
	1100	2071111	110847	1229	4192	£78.85	2072111	110890	1683	5742	£113.30	2072211	110943	2157	7360	£141.30
	1200	2071112	110848	1340	4573	£86.02	2072112	110891	1836	6264	£123.58	2072212	110944	2353	8029	£154.17
	1400	2071114	110849	1564	5336	£100.36	2072114	110892	2142	7309	£144.14	2072214	110945	2745	9367	£179.89
	1600	2071116	110850	1787	6098	£114.69	2072116	110893	2448	8353	£164.70	2072216	110946	3138	10705	£205.57
	1800	2071118	110851	2011	6860	£129.01	2072118	110894	2754	9397	£185.31	2072218	110947	3530	12044	£231.26
	2000	2071120	110852	2234	7622	£143.35	2072120	110895	3060	10441	£205.87	2072220	110948	3922	13382	£256.98
	2600	2071126	110967	2904	9908	£186.43	-	-	-	-	-	-	-	-	-	-

Compact K3



The Compact K3 is the ideal choice for low energy systems, providing outstanding heat output from a smaller footprint.

Prices
exclude
VAT

Compact K3



Compact K3

Triple Convettor Type 33

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts Btu/hr		F & P List Price
600	400	2063304	11068001	956	3262	£142.48
	500	2063305	11068101	1195	4077	£165.36
	600	2063306	11068201	1433	4889	£183.04
	700	2063307	11068301	1672	5705	£199.68
	800	2063308	11068401	1911	6520	£211.12
	900	2063309	11068501	2150	7336	£228.80
	1000	2063310	11068601	2389	8151	£243.36
	1100	2063311	11068701	2628	8967	£268.32
	1200	2063312	11068801	2867	9782	£293.28
	1400	2063314	11068901	3345	11413	£377.52

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar

For technical and installation
information visit our website
www.henrad.co.uk/downloads



Everest Line



With its flat front panel featuring pleasing horizontal lines the Everest Line radiator offers contemporary good looks, adding a new dimension to any room.

Prices
exclude
VAT

Everest Line Type 11



Working pressure:
Tested to withstand 8.0 bar

For technical and installation
information visit our website
www.henrad.co.uk/downloads



Everest Line Single Convactor Type 11

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts Btu/hr		F & P List Price
300	500	3031105	127860	235	802	£80.77
	1000	3031110	127859	469	1601	£116.95
	1500	3031115	127862	704	2401	£162.19
500	400	3051104	127863	298	1017	£84.24
	600	3051106	110789	448	1530	£93.27
	800	3051108	110790	598	2040	£111.38
	1000	3051110	110701	746	2545	£129.48
	1200	3051112	110791	897	3060	£147.58
	1400	3051114	110792	1046	3570	£165.67
	1600	3051116	127864	1194	4075	£183.77
600	1800	3051118	127865	1343	4584	£201.86
	400	3061104	127866	348	1188	£87.72
	600	3061106	110707	522	1782	£105.81
	800	3061108	110708	696	2375	£123.91
	1000	3061110	110709	870	2969	£142.01
	1200	3061112	110710	1044	3563	£160.11
	1400	3061114	110793	1219	4158	£178.19
	1600	3061116	127867	1392	4751	£196.30
	1800	3061118	127868	1566	5345	£214.40
	2000	3061120	127869	1741	5939	£232.48


Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Everest Line Double Convactor Type 22

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts Btu/hr		F & P List Price
300	500	3032205	127870	465	1587	£109.31
	1000	3032210	127871	929	3171	£154.55
	1500	3032215	127872	1394	4756	£199.79
500	400	3052204	127873	555	1894	£125.30
	600	3052206	110702	833	2843	£143.41
	800	3052208	110703	1110	3788	£161.50
	1000	3052210	110704	1388	4737	£179.60
	1200	3052212	110705	1666	5686	£197.69
	1400	3052214	110706	1943	6631	£215.79
	1600	3052216	127874	2222	7580	£233.89
600	1800	3052218	127875	2499	8526	£251.97
	400	3062204	127876	640	2184	£137.83
	600	3062206	110711	961	3280	£155.93
	800	3062208	110712	1281	4372	£174.03
	1000	3062210	110713	1601	5464	£192.13
	1200	3062212	110714	1921	6556	£210.22
	1400	3062214	110715	2241	7649	£228.33
	1600	3062216	127877	2563	8744	£246.43
	1800	3062218	127878	2883	9836	£264.51
	2000	3062220	127879	3203	10928	£282.61

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Everest Line Type 22



Have you considered
Plan?

Everest Line Concept



With its flat front panel featuring pleasing horizontal lines the Everest Line radiator offers contemporary good looks, adding a new dimension to any room.

Now available from stock in slate grey and in a range of popular sizes to suit most homes.

Prices
exclude
VAT

Everest Line Concept in RAL A7015 Slate grey available from stock.

Everest Line Concept Type 11



Everest Line Concept

Single Convector Type 11

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts	Btu/hr	F & P List Price
600	400	3261104	127800	348	1187	£142.48
	600	3261106	127801	522	1781	£160.57
	800	3261108	127802	696	2375	£178.66
	1000	3261110	127803	870	2968	£196.77
	1200	3261112	127804	1044	3562	£214.86
	1400	3261114	127805	1218	4156	£232.95

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Everest Line Concept

Double Convector Type 22

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts	Btu/hr	F & P List Price
600	400	3262204	127806	640	2184	£192.59
	600	3262206	127807	961	3279	£210.68
	800	3262208	127808	1281	4371	£228.79
	1000	3262210	127809	1601	5463	£246.89
	1200	3262212	127810	1921	6554	£264.97
	1400	3262214	127811	2241	7646	£283.09

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Available only in RAL A7015 Slate grey.

Alto Line



The Alto Line radiator incorporates all the features of the Everest Line but with a vertical line design.

Prices
exclude
VAT

Alto Line



Alto Line

Double Convector Type 22

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
1600	300	3162203	110716	1026	3501	£356.42
	500	3162205	110717	1710	5835	£374.50
1800	400	3182204	11069001	1476	5036	£361.19
	500	3182205	110718	1845	6295	£392.60
	600	3182206	11069101	2214	7554	£461.70
2000	400	3202204	11069201	1588	5405	£421.39
	500	3202205	11069301	1980	6756	£458.04
	600	3202206	11069401	2376	8107	£538.65

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Centre Tap TRV is now available, see page 37

Plan



Simplicity itself, the Plan range features a smooth, flat front panel with integrated top grille and side panels, providing a minimalistic, slimline, sleek and

modern appearance. Available in a range of sizes the Plan provides an instant level of sophistication to any room.

Prices
exclude
VAT

Plan Type 11



Working pressure:
Tested to withstand 8.0 bar

For technical and installation
information visit our website
www.henrad.co.uk/downloads



Plan Type 22



Have you considered
Verona?

Plan Single Convector Type 11

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
				Watts	Btu/hr	
300	500	4031105	127880	235	802	£98.84
	1000	4031110	127881	469	1601	£154.52
	1500	4031115	127882	704	2401	£210.20
500	400	4051104	127883	298	1017	£115.55
	600	4051106	127950	448	1530	£137.83
	800	4051108	127951	597	2040	£160.11
	1000	4051110	127952	746	2545	£182.38
	1200	4051112	127953	895	3060	£204.65
	1400	4051114	127954	1044	3570	£226.93
	1600	4051116	127884	1194	4075	£249.20
600	1800	4051118	127885	1343	4584	£271.48
	400	4061104	127886	348	1188	£129.48
	600	4061106	127960	522	1782	£151.75
	800	4061108	127961	696	2375	£174.03
	1000	4061110	127962	870	2969	£196.31
	1200	4061112	127963	1044	3563	£218.59
	1400	4061114	127964	1218	4158	£240.85
	1600	4061116	127887	1392	4751	£263.12
	1800	4061118	127888	1566	5345	£285.40
	2000	4061120	127889	1741	5939	£307.67

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Plan Double Convector Type 22

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
				Watts	Btu/hr	
300	500	4032205	127890	465	1587	£157.35
	1000	4032210	127891	929	3171	£213.03
	1500	4032215	127892	1394	4756	£268.73
500	400	4052204	127893	555	1894	£176.81
	600	4052206	127955	833	2843	£199.08
	800	4052208	127956	1110	3788	£221.35
	1000	4052210	127957	1388	4737	£243.64
	1200	4052212	127958	1666	5686	£265.92
	1400	4052214	127959	1943	6631	£288.19
	1600	4052216	127894	2222	7580	£310.47
600	1800	4052218	127895	2499	8526	£332.74
	400	4062204	127896	640	2184	£192.13
	600	4062206	127965	961	3280	£214.41
	800	4062208	127966	1281	4372	£236.67
	1000	4062210	127967	1601	5464	£258.95
	1200	4062212	127968	1921	6556	£281.24
	1400	4062214	127969	2241	7649	£303.51
	1600	4062216	127897	2563	8744	£325.78
	1800	4062218	127898	2883	9836	£348.05
	2000	4062220	127899	3203	10928	£370.32

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Plan Concept



Simplicity itself, the Plan range features a smooth, flat front panel with integrated top grille and side panels.

Now available from stock in slate grey and in a range of popular sizes to suit most homes.

Prices
exclude
VAT

Plan Concept in RAL A7015 Slate grey available from stock.

Plan Type 11



Plan Concept

Single Convector Type 11

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
				Watts	Btu/hr	
600	400	4251104	127812	348	1187	£184.24
	600	4251106	127813	522	1781	£206.50
	800	4251108	127814	696	2375	£228.79
	1000	4251110	127815	870	2968	£251.07
	1200	4251112	127816	1044	3562	£273.34
	1400	4251114	127817	1218	4156	£295.61

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Plan Concept

Double Convector Type 22

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
				Watts	Btu/hr	
600	400	4252204	127818	640	2184	£246.89
	600	4252206	127819	961	3279	£269.16
	800	4252208	127820	1281	4371	£291.43
	1000	4252210	127821	1601	5463	£313.71
	1200	4252212	127822	1921	6554	£335.99
	1400	4252214	127823	2241	7646	£358.27

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Available only in RAL A7015 Slate grey.

Plan Vertical



With an exceptionally slim profile and silky-smooth surface, the Henrad Plan Vertical offers a stylish alternative for domestic or commercial developments.

Prices
exclude
VAT

Plan Type 22



Plan Vertical

Double Convector Type 22

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts Btu/hr		F & P List Price
1800	400	4182204	11069501	1476	5036	£511.23
	500	4182205	11069601	1845	6295	£555.68
	600	4182206	11069701	2214	7554	£653.48
2000	400	4202204	11069801	1588	5405	£596.43
	500	4202205	11069901	1980	6756	£648.30
	600	4202206	11070001	2376	8107	£762.40

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Centre Tap TRV is now available, see page 37

Verona Range



Verona Double Plane

Offering visual appeal combined with advanced technology, the Verona provides a contemporary solution for a huge range of applications

The single and double plane radiators allow you to choose the right output for any situation.

Prices
exclude
VAT

Verona Single Plane



Verona Single Plane

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts	Btu/hr	F & P List Price
444	800	248349	11067301	627	2139	£207.77
	1000	248351	11067401	784	2675	£225.95
	1200	248353	11067501	941	3211	£249.44
592	500	248363	110734	501	1709	£191.71
	600	248364	110763	601	2051	£204.93
	700	248365	110764	701	2392	£218.15
	800	248366	110733	802	2737	£231.38
	1000	248368	110731	1002	3419	£257.83
	1200	248370	110732	1202	4101	£284.26
	1400	248371	110735	1403	4787	£310.70
	1600	248372	110794	1603	5470	£337.15
	1800	248373	110795	1804	6156	£363.59
	2000	248374	110796	2004	6838	£390.04

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Verona Double Plane



Verona Double Plane

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts	Btu/hr	F & P List Price
444	800	248400	11067601	1095	3736	£421.47
	1000	248402	11067701	1369	4671	£457.68
	1200	248404	11067801	1643	5606	£504.68
592	600	248415	110765	1018	3474	£416.48
	700	248416	110766	1188	4054	£442.92
	800	248417	110767	1358	4634	£469.36
	900	248418	110768	1527	5210	£495.81
	1000	248419	110769	1697	5790	£522.25
	1200	248421	110770	2036	6947	£575.13
	1400	248422	110771	2376	8107	£628.02
	1600	248423	110797	2715	9264	£680.91
	1800	248424	110798	3055	10424	£733.79
	2000	248425	110799	3394	11581	£786.68

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Floor mounting bracket information

Length mm	Feet Required
400 - 1500	2
1600 - 3500	3

Optional extra to have no lugs. This needs specifying at the time of ordering for floor standing only.

Working pressure:
Tested to withstand 4.0 bar

For technical and installation
information visit our website
www.henrad.co.uk/downloads



Verona Vertical



Verona Vertical

With a choice of five types and a variety of sizes and outputs, the Verona allows extensive flexibility of siting, whilst breaking new barriers in heating efficiency.

Make a statement with Verona Vertical! Combining modern style and appeal that will fit in any new or existing space.

Prices
exclude
VAT

Verona Vertical



Verona Vertical Single

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
1800	444	248340	110722	852	2907	£244.60
	592	248341	110724	1136	3876	£310.70
	740	248342	110759	1420	4845	£376.81
2000	444	248343	110730	942	3214	£310.70
	592	248344	110729	1256	4286	£376.81
	740	248345	110760	1570	5357	£442.92

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Verona Vertical Double

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
1800	444	248640	11065401	1254	4279	£528.32
	592	248641	11065501	1672	5705	£639.00
	740	248642	11065601	2090	7131	£767.45
2000	444	248643	11065701	1386	4729	£583.23
	592	248644	11065801	1848	6306	£718.68
	740	248645	11065901	2310	7882	£852.50

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4.0 bar

For technical and installation
information visit our website
www.henrad.co.uk/downloads



Verona Lo-Line

The modern Verona Lo-Line radiator has been specifically designed to be sited under window locations.



Verona Lo-Line Double Convector Type 22

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
148	800	248308	110736	541	1846	£224.76
	1400	248311	110761	946	3228	£297.49
	2000	248314	110762	1352	4613	£376.81
	2200	248315	110737	1487	5074	£403.25
296	800	248316	11067001	898	3064	£381.97
	1400	248319	11067101	1571	5360	£477.46
	2000	248322	11067201	2244	7657	£603.62
	2200	248323	110738	2453	8370	£614.80

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4.0 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Floor mounting bracket information

Length mm	Feet Required
400 - 1500	2
1600 - 3500	3

Optional extra to have no lugs. This needs specifying at the time of ordering for floor standing only.

Verona Slimline

The practical design of the Verona Slimline radiator is ideally suited to smaller spaces to deliver maximum heat output.

Prices
exclude
VAT

Verona Slimline

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
1800	320	248300	110719	872	2976	£264.43
	440	248301	110720	1199	4092	£330.53
	520	248302	110723	1417	4836	£396.65
	640	248303	110725	1744	5952	£462.75
2000	320	248304	110727	978	3338	£310.70
	440	248305	110728	1344	4587	£376.81
	520	248306	110726	1589	5423	£442.92
	640	248307	110721	1956	6676	£509.03

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4.6 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Column Range



Have you considered
Column Concept?

The most modern execution of a traditional concept, this classic style brings innovation and reliability to a high performance design.

Vertical and horizontal options offer a modern alternative to a traditional panel radiator, and will enhance both contemporary and traditional settings.

Prices
exclude
VAT

Column 2

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
500	628	263012	110772	499	1703	£158.65
	858	263013	11066001	691	2358	£216.76
	1042	263014	11066101	845	2884	£263.24
	1272	263015	11066201	1037	3539	£321.35
600	628	263028	110745	589	2010	£171.88
	858	263029	110747	815	2782	£218.15
	1042	263030	110753	997	3403	£264.43
	1272	263031	110756	1223	4174	£343.76

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Column 2 Vertical

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
1800	352	263054	110740	868	2962	£211.55
	444	263055	110742	1116	3809	£277.66
2000	352	263056	110788	1197	4084	£218.15
	444	263057	110746	1242	4239	£284.26

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Due to production tolerances, the length of the product and therefore the tap centres could contain a variation of +/- 1.5% of the overall stated length.

Column 2 Vertical



Floor Mounting Brackets are available from stock, see page 37

Column 3

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
300	858	263002	11066301	576	1966	£232.58
	1042	263003	11066401	704	2403	£273.60
	1272	263004	11066501	864	2949	£331.86
	1444	263016	110773	464	1583	£171.88
500	628	263017	11066601	671	2290	£203.81
	858	263018	110750	929	3171	£224.76
	1042	263019	110754	1135	3874	£297.49
	1272	263020	110749	1393	4754	£383.42
	1456	263021	110774	1600	5459	£409.87
	1870	263022	110758	2064	7044	£515.63
	444	263032	110755	548	1870	£185.10
	628	263033	110744	792	2703	£211.55
600	858	263034	110739	1096	3741	£244.60
	1042	263035	110741	1340	4573	£304.10
	1272	263036	110743	1644	5611	£390.04
	1456	263037	110748	1888	6444	£423.08
	1870	263038	110751	2436	8314	£542.09
	858	263044	110752	1337	4563	£304.10
	1042	263045	110757	1635	5580	£356.98
	1272	263046	110775	2006	6844	£462.75
750	1456	263047	110776	2303	7858	£542.09

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Column 4

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions		F & P List Price
500	858	263025	110777	1217	4152	£277.66
	1042	263026	110778	1487	5074	£343.76
	1272	263027	110779	1825	6227	£416.48
600	628	263040	110780	1037	3538	£224.76
	858	263041	110781	1436	4900	£277.66
	1042	263042	110782	1756	5991	£343.76
	1272	263043	110783	2155	7353	£416.48
750	628	263050	110784	1266	4320	£264.43
	858	263051	110785	1753	5981	£343.76
	1042	263052	110786	2143	7312	£409.87
	1272	263053	110787	2630	8974	£515.63

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Column Concept



A new take on a timeless classic, Column Concept will add a touch of class to any room.

Available in Slate grey and in a range of popular sizes to suit most homes.

Prices
exclude
VAT

Henrad Column Concept in RAL A7015 Slate grey available from stock.

Column Concept 4



Column Concept 3

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts Btu/hr		F & P List Price
600	628	263133	127970	792	2703	£323.35
	858	263134	127971	1096	3741	£356.40
	1042	263135	127972	1340	4573	£415.90
	1272	263136	127973	1644	5611	£501.84

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Column Concept 4

Height mm	Length mm	Henrad Code	F & P Code	Heat emissions Watts Btu/hr		F & P List Price
600	628	263140	127974	1037	3538	£336.56
	858	263141	127975	1436	4900	£389.46
	1042	263142	127976	1756	5991	£455.56
	1272	263143	127977	2155	7353	£528.28

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8.0 bar

For technical and installation
information visit our website
www.henrad.co.uk/downloads



Available only in RAL A7015 Slate grey.

Floor Mounting Brackets are
available from stock, see page 37

Arno Towel Rail Range



Elegant tube on tube design consisting of a tight array of slim tubes makes the Arno range an easy choice for any bathroom or kitchen.

Prices
exclude
VAT



Arno Single

Height mm	Length mm	Henrad Code	F & P Code	UIN Colour*	Heat emissions		F & P List Price
792	450	417902450	127900	417902451	408	1392	£247.81
	500	417902500	127901	417902501	452	1542	£278.45
	600	417902600	127902	417902601	540	1842	£309.08
	750	417902750	127903	417902751	672	2293	£339.70
1088	450	411002450	127904	411002451	560	1911	£263.12
	500	411002500	127905	411002501	615	2098	£293.76
	600	411002600	127906	411002601	725	2474	£324.40
	750	411002750	127907	411002751	890	3037	£355.01
1680	450	411602450	127908	411602451	849	2897	£355.01
	500	411602500	127909	411602501	929	3170	£387.04
	600	411602600	127910	411602601	1090	3719	£417.66
	750	411602750	127911	411602751	1331	4541	£448.30
1976	450	411902450	127912	411902451	985	3361	£387.04
	500	411902500	127913	411902501	1080	3685	£417.66
	600	411902600	127914	411902601	1271	4337	£448.30
	750	411902750	127915	411902751	1557	5312	£478.92

Btu/hr @ $\Delta t 50^{\circ}\text{C}$



Arno Double

Height mm	Length mm	Henrad Code	F & P Code	UIN Colour*	Heat emissions		F & P List Price
792	450	427902450	127916	427902451	593	2023	£324.40
	500	427902500	127917	427902501	657	2242	£355.01
	600	427902600	127918	427902601	787	2685	£387.04
	750	427902750	127919	427902751	982	3351	£417.66
1088	450	421002450	127920	421002451	775	2644	£355.01
	500	421002500	127921	421002501	860	2934	£387.04
	600	421002600	127922	421002601	1030	3514	£417.66
	750	421002750	127923	421002751	1287	4391	£448.30
1680	450	421602450	127924	421602451	1200	4094	£463.62
	500	421602500	127925	421602501	1327	4528	£494.24
	600	421602600	127926	421602601	1583	5401	£524.87
	750	421602750	127927	421602751	1967	6711	£556.89
1976	450	421902450	127928	421902451	1409	4808	£509.55
	500	421902500	127929	421902501	1556	5309	£541.57
	600	421902600	127930	421902601	1852	6319	£572.20
	750	421902750	127931	421902751	2296	7834	£602.85

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 6.0 bar

For technical and installation
information visit our website
www.henrad.co.uk/downloads



Centre Tap TRV is now available, see page 37

Colour options available, see page 35

Tube Dimensions



*Price of coloured radiators are available
on request.

When a coloured radiator has been ordered it cannot
be cancelled or returned. All coloured radiators have
up to an 8 week lead time from date of order.

Verona Towel Rail



The Verona Towel Rail offers a stunning alternative to tubular towel rails. Providing a contemporary solution to a wide range of building applications.

Prices
exclude
VAT



Verona Towel Rail

Height mm	Length mm	Henrad Code	F & P Code	UIN Colour*	Heat emissions		F & P List Price
796	450	437902450	127932	437902451	369	1259	£341.10
	600	437902600	127933	437902601	483	1648	£363.38
1121	450	431102450	127934	431102451	503	1716	£403.74
	600	431102600	127935	431102601	658	2245	£426.03
1446	450	431402450	127936	431402451	639	2180	£480.32
	600	431402600	127937	431402601	834	2846	£502.59
1706	450	431702450	127938	431702451	749	2556	£647.38
	600	431702600	127939	431702601	975	3327	£669.66

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Colour options available, see page 35

*Price of coloured radiators are available on request.

When a coloured radiator has been ordered it cannot be cancelled or returned.
All coloured radiators have up to an 8 week lead time from date of order.

Tube Dimensions



Working pressure:
Tested to withstand 4.0 bar



For technical and installation
information visit our website
www.henrad.co.uk/downloads



Colour illustrated Pastel orange RAL A2003

Centre Tap TRV is now available, see page 37

LST Standard



The LST Standard has been specifically designed to meet the highest standards for low surface temperature radiators.

The range meets the NHS guidance for 'safe hot water and surface temperature'. All radiators are finished with an anti-bacterial paint as standard.

Prices
exclude
VAT

LST Standard



LST Standard

Single Convector Type 11

Casing Height mm	Casing Length mm	Henrad Code	F & P Code	Heat emissions Watts	Btu/hr	F & P List Price
500	560	145400	110972	196	669	£231.38
	560	145424	110973	290	989	£245.92
650	760	145425	110974	435	1484	£312.02
	960	145426	110975	580	1979	£341.11
	1160	145427	110976	725	2474	£372.84
	1360	145428	110977	870	2968	£397.97

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

LST Standard

Double Convector Type 22

Casing Height mm	Casing Length mm	Henrad Code	F & P Code	Heat emissions Watts	Btu/hr	F & P List Price
500	560	145416	110978	348	1187	£245.92
	760	145417	110979	522	1781	£293.52
	1160	145419	110980	870	2968	£397.97
650	560	145440	110981	478	1631	£298.81
	760	145441	110982	717	2446	£342.43
	960	145442	110983	956	3262	£438.95
	1160	145443	110984	1195	4077	£510.35
	1360	145444	110985	1434	4893	£584.39
	1560	145445	110986	1673	5708	£695.45
	1760	145446	110987	1912	6524	£769.49
	1960	145447	110988	2151	7341	£846.16
800	760	145465	110989	922	3146	£401.93
	960	145466	110990	1230	4197	£532.82
	1160	145467	110991	1537	5244	£646.53
	1360	145468	110992	1844	6295	£731.15
	1560	145469	110993	2152	7343	£835.60
	1760	145470	110994	2459	8393	£926.83
	1960	145471	110995	2767	9441	£1047.14

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

- LST Standard gives you the option to specify controls.
- LST Standard has the option to reverse the attractive outer casing to suit the pipe layout.
- For peace of mind the paint finish is anti-bacterial.
- The LST Standard comes complete with all components required in one easy package.
- The internal emitter generates excellent heat outputs through convection.
- Tested to high standards, the emitter has a maximum working pressure of 116psi (8.0 bar) and conforms to BS EN 442.


Working pressure:
Tested to withstand 8.0 bar




For technical and installation information visit our website
www.henrad.co.uk/downloads

Colour Range


Natural Colour




NT110
Papyrus white
510110




NT120
Pearl white
510120




NT130
Champagne
510130




NT140
Beige
510140



NT150
Beige grey
510150



NT160
Pebble grey
510160



NT170
Quartz grey
510170



SN110
Cream white
530110



SN120
Cream
530120



SN130
Mocca
530130



SN140
Bordeaux
530140



SN150
Sepia
530150



SN160
Pale blue
530160



SN170
Black
530170


Metallic Colour



ML110
Dove grey
520110



ML120
Titanium grey
520120



ML130
Blue grey
520130




ML140
Granite
520140



ML150
Cappuccino
520150



ML160
Terra brown
520160



ML170
Graphite black
520170

RAL Colour



A1004
Golden yellow
541004



A2003
Pastel orange
542003



A3002
Carmine red
543002



A3003
Robin red
543003



A5002
Ultramarine blue
545002



A6018
Yellow green
546018



A7001
Silver grey
547001



A7011
Iron grey
547011



A7016
Anthracite grey
547016



A7030
Stone grey
547030



A7035
Light grey
547035



A8017
Chocolate brown
548017



A9003
Signal white
549003



A9005
Jet black
549005



A9016
Traffic white



A9015
Slate grey
*Available for Column
Concept, Everest Line
Concept & Plan Concept

The colours shown throughout the brochure are reproduced as accurately as this process will allow and can be made to order on the identified products.

Please Note: Colour options are available in the Arno Towel Rail Range and Verona Towel Rail only. Price of coloured radiators are available on request. When a coloured radiator has been ordered it cannot be cancelled or returned. All coloured radiators have up to an 8 week lead time from date of order.



Accessories

Centre Tap TRV

Available from stock



UIN	Description	F&P Price
14531310	Centre Tap TRV Straight White - 10mm	£52.65
14531312	Centre Tap TRV Straight White - 1/2in	£52.65
14531315	Centre Tap TRV Straight White - 15mm	£52.65
14531410	Centre Tap TRV Straight Chrome - 10mm	£52.65
14531412	Centre Tap TRV Straight Chrome - 1/2in	£52.65
14531415	Centre Tap TRV Straight Chrome - 15mm	£52.65
14531510	Centre Tap TRV Angled L White - 10mm	£52.65
14531512	Centre Tap TRV Angled L White - 1/2in	£52.65
14531515	Centre Tap TRV Angled L White - 15mm	£52.65

UIN	Description	F&P Price
14531610	Centre Tap TRV Angled L Chrome - 10mm	£52.65
14531612	Centre Tap TRV Angled L Chrome - 1/2in	£52.65
14531615	Centre Tap TRV Angled L Chrome - 15mm	£52.65
14531710	Centre Tap TRV Angled R White - 10mm*	£52.65
14531712	Centre Tap TRV Angled R White - 1/2in*	£52.65
14531715	Centre Tap TRV Angled R White - 15mm*	£52.65
14531810	Centre Tap TRV Angled R Chrome - 10mm*	£52.65
14531812	Centre Tap TRV Angled R Chrome - 1/2in*	£52.65
14531815	Centre Tap TRV Angled R Chrome - 15mm*	£52.65

*Centre Tap TRV Angled R are only suitable for Towel Rails

Column Floor mounting brackets

Available from stock

UIN 148137

(sold in pairs)

Henrad Colour A9016

F & P Code 111421

Traffic white



Column Floor mounting brackets

Available from stock

UIN 148139

(sold in pairs)

Henrad Colour A7015

Slate grey



Glossary

Btu/hr	British Thermal Unit per hour is the standard measurement used to state the amount of output of any heat generating device.
Watts	Is another measurement for heat output, 1 watt is equivalent to 3.412 Btu/hr.
Type 11	Also known as Type K1, is a type of radiator with 1 radiator panel and 1 set of convection fins.
Type 21	Also known as Type P+, is a type of radiator with 2 radiator panels and 1 set of convection fins.
Type 22	Also known as Type K2, is a type of radiator with 2 radiator panels and 2 sets of convection fins.
Type 33	Also known as Type K3, is a type of radiator with 3 radiator panels and 3 sets of convection fins.
Δt	Refers to the difference in temperature between the water circulating in the central heating system and that of the ambient temperature. It is important to use the correct Δt when selecting your radiators, as the same radiator will have different outputs at different water temperatures.
$\Delta t50$	$\Delta t50$ is the UK standard, however Henrad also quote at lower levels for lower water temperature systems.
Heat loss	Is the amount of heat a room loses, it is therefore an important calculation when determining what size radiator is required to heat a room to the correct level.
Warranty	The warranty covers any defect that is attributable to a manufacturing, assembly or material fault, further details available on request.
	Is a set of International regulations related to quality management systems.
TBOE / BOE	Refers to which position the pipes are connected to the radiator, OE means opposite end i.e. 1 pipe on each side, TB is top bottom i.e. 1 pipe is connected to the top and 1 to the bottom, B is both pipes connected to the bottom.
	EN 442 is the European standard which defines the manufacturing standards for radiators and convectors which operate at temperatures of less than 120°C. The standard defines the type of steel which must be used, the type of pressure testing which must be carried out and the accuracy of the heat outputs quoted in the literature.
RAL	A European wide colour matching system.
BSP	British Standard Piping.
	The CE marking is the manufacturers declaration that the product meets the requirements of the applicable EC directive. This is applicable to all Henrad products.
	The Manufacturers' Association of Radiators and Convectors.



STELRAD RADIATOR GROUP



Henrad (UK) Limited, Marriott Road, Mexborough, South Yorkshire S64 8BN.
Telephone: 0844 543 6200 Facsimile: 0844 543 6300

www.henrad.co.uk

UIN 206375
HPR/F&P/2K/0120